

MODIS and VIIRS Snow and Ice Project Home Page: <https://modis-snow-ice.gsfc.nasa.gov>

Partial bibliography of papers that use the MODIS Snow and Sea Ice Standard Products (see p. 31 for MOD/MYD29 sea ice and ice-surface temperature (IST) papers)

Updated 2/4/2019

Papers that use the MOD/MYD10 Snow Products

1. Aguirre, F., J. Carrasco, T. Sauter, et al., 2018: Snow cover change as a climate indicator in Brunswick Peninsula, Patagonia, *Frontiers in Earth Science*, 6:130.
2. Akyurek, Z., D.K. Hall, G.A. Riggs and A. Sensoy, 2010: Evaluating the utility of the ANSA blended snow cover product in the mountains of eastern Turkey, *International Journal of Remote Sensing*, 31(14):3727-3744.
3. Akyurek, Z., S. Surer and O. Beser, 2011: Investigation of the snow-cover dynamics in the Upper Euphrates Basin of Turkey using remotely sensed snow-cover products and hydrometeorological data, *Hydrol. Process.*, 25(23):3637–3648, <https://doi:10.1002/hyp.8090>.
4. Andreadis, K.M. and D. P. Lettenmaier, 2006: Assimilating Remotely Sensed Snow Observations into a Macroscale Hydrology Model. *Advances in Water Resources*, 29:872-886.
5. Andrews, L.C., M.J. Hoffman, T.A. Neumann, G.A. Catania, et al., 2018: Seasonal evolution of the subglacial hydrologic system modified by supraglacial lake drainage in western Greenland, *JGR – Earth Surface*, <https://doi.org/10.1029/2017JF004585>.
6. Anttila, S., S. Metsämäki and C. Derksen, 2006: A Comparison of Finnish SCAMod Snow Maps and MODIS Snow Maps in Boreal Forests in Finland and in Manitoba, Canada. *Geoscience and Remote Sensing Symposium, 2006. IGARSS 2006. Institute of Electrical and Electronics Engineers (IEEE) International Conference*, 2176-2179.
7. Appel, I.L. and V.V. Salomonson, 2002: Estimate of Fractional Snow Cover Using MODIS data. *IGARSS 2002: IEEE International Geoscience and Remote Sensing Symposium and 24th Canadian Symposium on Remote Sensing, Vols I-VI, Proceedings - Remote Sensing: Integrating Our View of the Planet*, 3044-3046.
8. Armstrong, R.L., M.J. Brodzik and M.H. Savoie, 2004: Enhanced Snow Cover Mapping Using Combined Optical and Passive Microwave Data. *Geoscience and Remote Sensing Symposium, IGARSS '04 Proceeding, 2004 Institute of Electrical and Electronics Engineers (IEEE)*, 2:861-864.
9. Arsenault, K. R., P.R. Houser and G.J.M. De Lannoy, 2012: Evaluation of the MODIS snow cover fraction product, *Hydrol. Process.*, <https://doi:10.1002/hyp.9636>.
10. Arsenault, K. R., P. R. Houser, G. J. M. De Lannoy, and P. A. Dirmeyer, 2013: Impacts of snow cover fraction data assimilation on modeled energy and moisture budgets, *Jour. Geophys. Res. - Atmos.*, 118, <https://doi:10.1002/jgrd.50542>.
11. Arsenault, K.R., P.R. Houser and G.J.M. De Lannoy, 2014: Evaluation of the MODIS snow cover fraction product, *Hydrological Processes*, 28:980-998.
12. Arsenault, K. and P. Houser, 2018: Generating Observation-Based Snow Depletion Curves for Use in Snow Cover Data Assimilation, *Geosciences* 8(12):484.

13. Asaoka, Y. and Y. Kominami, 2013: Incorporation of satellite-derived snow-cover area in spatial snowmelt modeling for a large area: determination of a gridded degree-day factor, *Annals of Glaciology*, 54(62), <https://doi:10.3189/2013AOG62A218>.
14. Atlaskina, K., F. Berninger and G. de Leeuw, 2015: Satellite observations of changes in snow-covered land surface albedo during spring in the Northern Hemisphere, *The Cryosphere*, 9:1879-1893, <https://doi:10.5194/tc-9-1879-2015>.
15. Ault, T.W., K.P. Czajkowski, T. Benko, J. Coss, J. Struble, A. Spongberg, M. Templin and C. Gross, 2006: Validation of the MODIS Snow Product and Cloud Mask using student and NWS Cooperative Station Observations in the Lower Great Lakes Region, *Remote Sensing of Environment* 105(4):341-353, <https://doi:10.1016/j.rse.2006.07.004>.
16. Bavera, D. and C. De Michele, 2009: Snow water equivalent estimation in the Mallero basin using snow gauge data and MODIS images and fieldwork validation, *Hydrological Processes*, 23:1961-1972, <https://doi:10.1002/hyp.7328>.
17. Barlage, M., Z.B. Zeng, H.L. Wei and K.E. Mitchell, 2005: A Global 0.05 Degrees Maximum Albedo Dataset of Snow-Covered Land Based on MODIS Observations. *Geophysical Research Letters*, 32(17), <https://doi:10.1029/2005GL022881>.
18. Barnes, C.A. and D.P. Roy, 2010: Radiative forcing over the conterminous United States due to contemporary land cover land use change and sensitivity to snow and inter-annual albedo variability, *JGR – Biogeosciences*.
19. Barton, J.S., D.K. Hall and G.A. Riggs, 2000: Remote Sensing of Fractional Snow Cover Using Moderate Resolution Imaging Spectroradiometer (MODIS) Data, *Proceedings of the 57th Eastern Snow Conference*, Syracuse, NY, 17-19 May 2000, 57:171-183.
20. Basang, D., K. Barthel and J.A. Olseth, 2017: Satellite and ground observations of snow cover in Tibet during 2001-2015, *Remote Sensing*, 9(11):1201, <https://doi:10.3390/rs9111201>.
21. Bennett, K.E., J.E. Cherry, B. Balk, and S. Lindsey, 2018: Using MODIS estimates of fractional snow cover extent to improve streamflow forecasts in Interior Alaska, *Hydrology and Earth System Science Discussions*, <https://doi.org/10.5194/hess-2018-96>.
22. Berezowski, T., J. Chormańska, and O. Batelaan, 2015: Skill of remote sensing snow products for distributed runoff prediction, *Journal of Hydrology*, 524:718-732. [https://doi:dx.doi.org/10.1016/j.jhydrol.2015.03.025](https://doi.dx.doi.org/10.1016/j.jhydrol.2015.03.025).
23. Berman, E.E., D.K. Bolton, N.C. Coops, Z.K. Mityok, G.B. Stenhouse, and RD Dan Moore, 2018: Daily estimates of Landsat fractional snow cover driven by MODIS and dynamic time-warping, *Remote Sensing of Environment* 216:635-646.
24. Bewley, D., Y. Alila and A. Varhola, 2010: Variability of snow water equivalent and snow energetics across a large catchment subject to Mountain Pine Beetle infestation and rapid salvage logging, *Journal of Hydrology*, 388:464–479, <https://doi:10.1016/j.jhydrol.2010.05.031>.
25. Biggs, T. W., and T. M. Whitaker, 2012: Critical Elevation Zones of Snowmelt During Peak Discharges in a Mountain River Basin, *Journal of Hydrology*, 438:52-65.
26. Bitner, D., T. Carroll, D. Cline and P. Romanov, 2002: An Assessment of the Differences Between Three Satellite Snow Cover Mapping Techniques, *Hydrological Processes*, 16(18):3723-3733, <https://doi:10.1002/hyp.1231>.
27. Bocchiola, D. and B. Groppelli, 2010: Spatial estimation of snow water equivalent at different

- dates within the Adamello Park of Italy, *Cold Regions Science and Technology*, 63(3):97-109, <https://doi:10.1016/j.coldregions.2010.06.001>.
28. Bocchiola, D., G. Diolaiuti, A. Soncini, C. Mihalcea, C. D'Agata, C. Mayer, A. Lambrecht, R. Rosso, and C. Smiraglia, 2011: Prediction of future hydrological regimes in poorly gauged high altitude basins: the case study of the upper Indus, Pakistan, *Hydrol. Earth Syst. Sci. Discuss.*, 8:3743-3791, <https://doi:10.5194/hessd-8-3743-2011>.
 29. Bonev, G., 2017: Machine learning algorithms for automated satellite snow and sea ice detection, Ph.D. Dissertation, Department of Computer Science, City University of New York, 85 pp.
 30. Bormann, K.J., M.F. McCabe, and J.P. Evans, 2012: Satellite Based Observations for Seasonal Snow Cover Detection and Characterisation in Australia, *Remote Sensing of Environment*, 123(1):57-71.
 31. Box, J.E., X. Fettweis, J.C. Stroeve, M. Tedesco, D.K. Hall and K. Steffen, 2012: Greenland ice sheet albedo feedback: thermodynamics and atmospheric drivers, *The Cryosphere*, 6:1-19, <https://doi:10.5194/tc-6-1-2012>.
 32. Brown, L., R. Thorne and M.K. Woo, 2008: Using Satellite Imagery to Validate Snow Distribution Simulated by a Hydrological Model in Large Northern Basins, *Hydrological Processes*, 22(15):2777-2787, <https://doi:10/1002/hyp.6999>.
 33. Brown, R., R. Fernandes, D.K. Hall, D. Massonnet, W. Park, P. Romanov and A. Simic, 2003: Validation of MODIS, Vegetation, and GOES+SSM/I Snow Cover Products over Canada Based on Surface Snow Depth Observations, *International Geoscience and Remote Sensing Symposium*, 2:836-838.
 34. Brubaker, K. L., R.T. Pinker and E. Deviatova, 2005: Evaluation and Comparison of MODIS and IMS Snow-Cover Estimates for the Continental United States Using Station Data, *Journal of Hydrometeorology*, 6(6):1002-1017.
 35. Brun, F., M. Dumont, P. Wagnon, E. Berthier, M.F. Azam, J.M. Shea, P. Sirguey, A. Rabatel and A. Ramanathan, 2015: Seasonal changes in surface albedo of Himalayan glaciers from MODIS data and links with the annual mass balance, *The Cryosphere*, 9:341-355, www.the-cryosphere-discuss.net/8/3437/2014/, <https://doi:10.5194/tc-9-341-2015>.
 36. Burakowski, E.A., S.V. Ollinger, L. Lepine, C.B. Schaaf, Z. Wang, J.E. Dibb, D.Y. Hollinger, J. Kim, A. Erb, and M. Martin, 2015: Spatial scaling of reflectance and surface albedo over a mixed-use, temperate forest landscape during snow-covered periods, *Remote Sensing of Environment* 158:465-477, <https://doi.org/10.1016/j.rse.2014.11.023>
 37. Bussi eres, N., D. De S eve and A. Walker, 2002: Evaluation of MODIS Snow-Cover Products Over Canadian regions, *Proceedings of IGARSS '02, Toronto, Canada*, pp. 2302-2304.
 38. Calvin, W. M., M. Milman and H. H. Kieffer, 2002: Reflectance of Antarctica from 3 to 5 μ m: Discrimination of Surface Snow and Cloud Properties, *Annals of Glaciology*, 34:121-126.
 39. Cao, Y.G. and C. Liu, 2006: Normalized Difference Snow Index Simulation for Snow-Cover Mapping in Forest By GeoSAIL Model, *Chinese Geographical Science*, 16:171-175.
 40. Casey, K. A., C.M. Polashenski, J. Chen, and M. Tedesco, 2017: Impact of MODIS sensor calibration updates on Greenland Ice Sheet surface reflectance and albedo trends, *The Cryosphere*, 11:1781-1795, <https://doi.org/10.5194/tc-11-1781-2017>.

41. Cea, C., Cristobal, J., Pons, X. et al., 2007: An Improved Methodology to Map Snow Cover by Means of Landsat and MODIS Imagery. *IGARSS: 2007 IEEE International Geoscience and Remote Sensing Symposium, Vols 1-12 - Sensing and Understanding Our Planet*, 4217-4220, <https://doi.org/10.1109/IGARSS.2007.4423781>.
42. Chelamallu, H.P., G. Venkataraman and M.V.R. Murti, 2013: Accuracy assessment of MODIS/Terra snow cover product for parts of Indian Himalayas, *Geocarto International*, <https://doi.org/10.1080/10106049.2013.819041>.
43. Chen, X., D. Long, Y. Hong, X. Hao and A. Hou, 2018: Climatology of snow phenology over the Tibetan plateau for the period 2001-2014 using multisource data, *International Journal of Climatology*, <https://doi.org/10.1002/joc.5455>.
44. Chen, X., D. Long, S. Liang, L. He, C. Zeng, X. Hao, and Y. Hong, 2018: Developing a composite daily snow cover extent record over the Tibetan Plateau from 1981 to 2016 using multisource data, *Remote Sensing of Environment*, 215:284-299, <https://doi.org/10.1016/j.rse.2018.06.021>.
45. Coll, J. and X. Li, 2018: Comprehensive accuracy assessment of MODIS daily snow cover products and gap filling methods, *ISPRS Journal of Photogrammetry and Remote Sensing*, 144:435-452.
46. Cooper, M.J., R.V. Martin, A.I. Lyapustin and C.A. McLinden, 2018: Assessing snow extent data sets over North America to inform and improve trace gas retrievals from solar backscatter, *Atmos. Meas. Techniques*, 11:2983-2994, <https://doi.org/10.5194/amt-11-2983-2018>.
47. Comin, A.N., V. Schumacher, F. Justino and A. Fernandez, 2018: Impact of different microphysical extreme snowfall events in the Southern Andes, *Weather and Climate Extremes*, <https://doi.org/10.1016/j.wace.2018.07.001>.
48. Copeland, J.P., K.S. McKelvey, and 14 others, 2010: The bioclimatic envelope of the wolverine (*Gulo gulo*): do climatic constraints limit its geographic distribution? *Can. Jour. Zool.*, 88:233-246.
49. Crawford, C.J., 2014: MODIS Terra Collection 6 fractional snow cover validation in mountainous terrain during spring snowmelt using Landsat TM and ETM+, *Hyd. Proc.*, <http://doi.org/10.1002/hyp.10134>.
50. Dai, L., T. Che, H. Xie, and X. Wu., 2018: Estimation of Snow Depth over the Qinghai-Tibetan Plateau Based on AMSR-E and MODIS Data, *Remote Sensing* 10(12):1989.
51. Damián, G., F. Florencia, M. Cogliati, 2016: Analysis of snow covered area using MOD10A2 in Neuquén river watershed in 2000-2014 period, *Jornadas Internacionales y III Nacionales de Ambiente*.
52. Da Ronco, Pierfrancesco, et al. 2016. Comparing COSMO-CLM simulations and MODIS data of snow cover extent and distribution over Italian Alps. *Climate Dynamics*, <https://doi.org/10.1007/s00382-016-3054-2>.
53. Daly, S.F., 2015: Review of the probably maximum flood (PMF) snowmelt analysis for success dam, ERDC/CRREL TR-15-16, 30 p.
54. Dankers, R., and S.M. De Jong, 2004: Monitoring Snow-Cover Dynamics in Northern Fennoscandia with SPOT VEGETATION Images, *International Journal of Remote Sensing*, 25(15):2933-2949, <https://doi.org/10.1080/01431160310001618374>.

55. Dariane, A.B., A. Khoramian, and E. Santi, 2017: Investigating spatiotemporal snow cover variability via cloud-free MODIS snow cover product in Central Alborz Region, *Remote Sensing of Environment*, <https://doi.org/10.1016/j.rse.2017.05.042>.
56. Davidson, A. and S. S. Wang, 2004: The Effects of Sampling Resolution on the Surface Albedos of Dominant Land Cover Types in the North American Boreal Region, *Remote Sensing of the Environment*, 93(1-2):211-224.
57. Davis, R.E., T.H. Painter, D. Cline, R. Armstrong, T. Haran, K. McDonald, et al., 2008: NASA Cold Land Processes Experiment (CLPX 2002/03): Spaceborne Remote Sensing, *Journal of Hydrometeorology*, 9(6):1427-1433.
58. de Wildt, M. de Ruyter, G. Seiz and A. Gruen, 2007: Operational Snow Mapping Using Multitemporal Meteosat SEVIRI Imagery, *Remote Sensing of Environment*, 109(1):29-41.
59. Delbart, Nicolas, et al., 2015: Remote sensing of Andean mountain snow cover to forecast water discharge of Cuyo rivers, *Journal of Alpine Research*, 103(2), <https://dx.doi.org/10.4000/rga.2903>.
60. Derksen, C. and E. LeDrew, 2000: Variability and Change in Terrestrial Snow Cover: Data Acquisition and Links to the Atmosphere, *Progress in Physical Geography*, 24(4):469-498.
61. Déry, S., V.V. Salomonson, M. Stieglitz, D.K. Hall and I. Appel, 2005: An Approach to Using Snow Areal Depletion Curves Inferred from MODIS and its Application to Land Surface Modeling in Alaska, *Hydrological Processes*, 19:2755-2774.
62. Dietz, A., C. Wohner and C. Kuenzer, 2012: European snow cover characteristics between 2000 and 2011 derived from improved MODIS daily snow cover products, *Remote Sensing*, 4(8):2432-2454, <https://doi:10.3390/rs4082432>.
63. Dietz, A.J., C. Kuenzer, U. Gessner and S. Dech, 2012: Remote sensing of snow – a review of available methods, *International Journal of Remote Sensing*, 33(13):4094-4134.
64. Dietz, A.J., C. Kuenzer and C. Conrad, 2013: Snow-cover variability in central Asia between 2000 and 2011 derived from improved MODIS daily snow-cover products, *International Journal of Remote Sensing*, 34(11):3879-3902, <https://dx.doi.org/10.1080/01431161.2013.767480>.
65. Dietz, A.J., C. Conrad, C. Kuenzer, G. Gesell and S. Dech, 2014: Identifying Changing Snow Cover Characteristics in Central Asia between 1986 and 2014 from Remote Sensing Data, *Remote Sensing*, 6(12):12752-12775, <https://doi:10.3390/rs61212752>.
66. Domine, F., G. Gauthier, V. Vionnet, D. Fauteux, M. Dumont, and M. Barrere, 2018: Snow physical properties may be a significant determinant of lemming population dynamics in the high Arctic, *Arctic Science*, <https://doi.org/10.1139/AS-2018-0008>.
67. Dong, C. and L. Menzel, 2016: Producing cloud-free MODIS snow cover products with conditional probability interpolation and meteorological data, *Remote Sensing of Environment*, 186:439-451, <https://doi.org/10.1016/j.rse.2016.09.019>.
68. Dong, J. and C. Peters-Lidard, 2010: On the Relationship Between Temperature and MODIS Snow Cover Retrieval Errors in the Western U.S., *IEEE Journal of Selected Topics in Applied, Earth Observations and Remote Sensing*, 3(1):132-140, <https://doi:10.1109/JSTARS.2009.2039698>.

69. Dong, J., M. Ek, D. Hall, C. Peters-Lidard, B. Cosgrove, J. Miller, G. Riggs and Y. Xia, 2014: Using Air Temperature to Quantitatively Predict the MODIS Fractional Snow Cover Retrieval Errors over the Continental US (CONUS), *Journal of Hydrometeorology*, 15(2):551-562, <https://dx.doi.org/10.1175/JHM-D-13-060.1>.
70. Dong, Y., Z. Jiao, S. Yin, H. Zhang, X. Zhang, L. C., D. He, A. Ding, Y. Chang, and S. Yang, 2018: Influence of Snow on the Magnitude and Seasonal Variation of the Clumping Index Retrieved from MODIS BRDF Products, *Remote Sensing*, 10(8):1194.
71. Drusch, M., D. Vasiljevic and P. Viterbo, 2004: ECMWF's Global Snow Analysis: Assessment and Revision Based on Satellite Observations, *Journal of Applied Meteorology*, 43(9):1282-1294.
72. Dumont, M., E. Brun, and 7 others, 2014: Contribution of light-absorbing impurities in snow to Greenland's darkening since 2009, *Nature Geoscience*, 7:509–512.
73. Duo, C., H. Xie, P. Wang, J. Guo, J. La, Y. Qiu and Z. Zheng, 2014: *Jour. Appl. Remote Sens.* 8(1), <https://doi.org/10.1117/1.JRS.8.084690>.
74. Durand, M., N.P. Molotch and S.A. Margulis, 2008: Merging Complementary Remote Sensing Datasets in the Context of Snow Water Equivalent Reconstruction, *Remote Sensing of Environment*, 112(3):1212-1225, <https://doi.org/10.1016/j.rse.2007.08.010>.
75. Endrizzi, S., G. Bertoldi, M. Neteler and R. Rigon, 2006: Snow cover patterns and evolution at basin scale: GEOTop model simulations and remote sensing observations, *Proceedings of the 63rd Eastern Snow Conference*, 7 – 9 June 2006, Newark, Del., pp. 195-209.
76. Etter, S., N. Addor, M. Huss and D. Finger, 2017: Climate change impacts on future snow, ice and rain runoff in a Swiss mountain catchment using multi-dataset calibration, *Journal of Hydrology: Regional Studies*, 13:222-239, <https://doi.org/10.1016/j.ejrh.2017.08.005>.
77. Fassnacht, S., G. Sextone, A. Kashipazha, I. Lopez-Moreno, M. Jasinski, S. Kampf and B. Von Thaden, 2016: Deriving snow-cover depletion curves for different spatial scales from remote sensing and snow telemetry data, *Hydrological Processes*, 30(11):1708-1717.
78. Finger, D., F. Pellicciotti, M. Konz, S. Rimkus, and P. Burlando, 2011: The value of glacier mass balance, satellite snow cover images, and hourly discharge for improving the performance of a physically based distributed hydrological model, *Water Resources Research*, 47, W07519, <https://doi.org/10.1109/IGARSS.2007.4423781>.
79. Finger, D., G. Heinrich, A. Gobiet, and A. Bauder, 2012: Projections of future water resources and their uncertainty in a glacierized catchment in the Swiss Alps and the subsequent effects on hydropower production during the 21st century, *Water Resour. Res.*, 48, W02521, <https://doi.org/10.1029/2011WR010733>.
80. Foster, J.L., D.K. Hall, J.B. Eylander, G.A. Riggs, S.V. Nghiem, M. Tedesco, E.J. Kim, P.M. Montesano, R.E.J. Kelly, K.A. Casey and B. Choudhury, 2011: A blended global snow product using visible, passive microwave and scatterometer data, *International Journal of Remote Sensing*, 32(5):1371-1395, <https://doi.org/10.1080/01431160903548013>.
81. Flueraru, C., G. Stancalie, S. Catana, E. Savin, and A. Irimescu, 2005: Estimation of Snow Cover Extent in Carpathian Mountains Using Integrated GIS and Remote Sensing Information, *Proc. IGARSS 2005 – must check on this*, pp 567-572, <https://doi.org/10.1109/RAST.2005.1512632>.
82. Flueraru, C., G. Stancalie, E. Savin and V. Craciunescu, 2006: Validation of MODIS

snowcover products in Romania, methodology and conclusions, *Proceedings of the 9th AGILE Conference on Geographic Information Science*, Visegrad, Hungary, pp. 21-28.

83. Flueraru, C., et al, 2007: Research Article: A Validation of MODIS Snowcover Products in Romania: Challenges and Future Directions, *Transactions in GIS*, 11(6): 927-941.
<https://doi:10.1111/j.1467-9671.2007.01074.x>.
84. Foppa, N. and G. Seiz, 2012: Inter-annual variations of snow days over Switzerland from 2000-2010 derived from MODIS satellite data, *The Cryosphere*, 6:331-342,
<https://doi:10.5194/tc-6-331>.
85. Forsythe, N., C. G. Kilsby, H. J. Fowler, and D. R. Archer, 2012: Assessment of runoff sensitivity in the Upper Indus Basin to interannual climate variability and potential change using MODIS satellite data products, *Mountain Research and Development*, 32(1):16-29.
86. Franco, B., Fettweis, X., and Erpicum, M., 2013: Future projections of the Greenland ice sheet energy balance driving the surface melt, *The Cryosphere*, 7:1-18, <http://doi:10.5194/tc-7-1-2013>.
87. Franz, K.J. and L.R. Karsten, 2013: Calibration of a distributed snow model using MODIS snow covered area data, *Journal of Hydrology*, 494:160-175.
88. Frei, A., 2009: A new generation of satellite snow observations for large scale Earth system studies, *Geography Compass*, 3(3):879-902, <https://doi:10.1111/j.1749-8198.2009.00221x>.
89. Frei, A. and S. Lee, 2010: A comparison of optical-band based snow extent products during spring over North America, *Remote Sensing of Environment*, 114:1940-1948.
90. Frei, A., M. Tedesco, S. Lee, J. Foster, D. Hall, R. Kelly and D. Robinson, 2012: A review of current-generation satellite-based snow products, *Advances in Space Research*,
<https://doi:10.1016/j.asr.2011.12.021>.
91. Gafurov, A. and A. Bardossy, 2009: Cloud Removal Methodology from MODIS Snow Cover Product, *Hydrology and Earth System Sciences*, 13:1361-1373.
92. Gafurov, A., S. Ludtke, K. Unger-Shayesteh, S. Vorogushyn, T. Schone, S. Schmidt, O. Kalashnikova and B. Merz, 2016: MODSNOW-Tool: an operational tool for daily snow cover monitoring using MODIS data, *Environmental Earth Sciences*, July 2016.
93. Gao, Y., H. Xie, T. Yao and C. Xue, 2010: Integrated assessment on multi-temporal and multi-sensor combinations for reducing cloud obscuration of MODIS snow cover products of the Pacific Northwest USA, *Remote Sensing of Environment*, 114(8):1662-1675,
<https://doi:10.1016/j.rse.2010.02.017>.
94. Gao, Y., H. Xie, N. Lu, T. Yao, and T. Liang, 2010: Toward advanced daily cloud-free snow cover and snow water equivalent products from Terra-Aqua MODIS & Aqua AMSR-E measurements, *Journal of Hydrology*, 385(1-4):23-35,
<https://doi:10.1016/j.jhydrol.2010.01.022>.
95. Gao, Y., H. Xie, and T. Yao, 2011: Developing snow cover parameters maps from MODIS, AMSR-E and blended snow products, *Photogrammetric Engineering and Remote Sensing*, 77(4):351-361.
96. Gao, Y., N. Lu, and T. Yao, 2011: Evaluation of a cloud-gap-filled MODIS daily snow cover product over the Pacific Northwest USA, *Journal of Hydrology*, 404(3-4):15 –165.

97. Gao, J., M. W. Williams, X. D. Fu, G. Q. Wang, and T. L. Gong, 2012: Spatiotemporal Distribution of Snow in Eastern Tibet and the Response to Climate Change, *Remote Sensing of Environment*, 121:1-9.
98. Gascoin, S., Hagolle, O., Huc, M., Dejoux, J. F., Szczypta, C. Marti, R. and Sánchez, R., 2015: A snow cover climatology for the Pyrenees from MODIS snow products, *Hydrol Earth Syst Sc*, 19:2337-2351, <https://doi:10.5194/hess-19-2337-2015>.
99. Georgievsky, M.V., 2009: Application of the Snowmelt Runoff model in the Kuban river basin using MODIS satellite images, *Environmental Research Letters*, 4:1-5, <https://doi:10.1088/1748-9326/4/4/045017>.
100. Ghasemifar, E., C. Mohammadi and M. Farajzadeh, 2018: Spatiotemporal analysis of snow cover in Iran based on topographic characteristics, *Theor. Appl. Climatol.*, <https://doi.org/10.1007/s00704-018-2690-3>.
101. Gillan, B.J., J.T. Harper and J.N. Moore, 2010: Timing of present and future snowmelt from high elevations of NW Montana, *Water Resources Research*, 46, W01507, <https://doi:10.1029/2009WR007861>.
102. Gladkova, I., M. Grossberg, G. Bonev, P. Romanov and F. Shahriar, 2012: Increasing the accuracy of MODIS/Aqua snow product using quantitative image restoration technique, *IEEE Geoscience and Remote Sensing Letters*, 9(4):740-743.
103. Gladkova, I., M. Grossberg, G. Bonev, P. Romanov, G. Riggs and D. Hall, 2013: A full snow season in Yellowstone: a database of restored Aqua Band 6, *IEEE GSRL*, 10(3):1-5.
104. Gomez-Landesa, E. and A. Rango, 2002: Computer Simulation of Shaded Areas in The Upper Rio Grande Basin for Satellite Snow Mapping and Snowmelt Runoff Forecasting, *IGARSS 2002: IEEE International Geoscience and Remote Sensing Symposium and 24th Canadian Symposium on Remote Sensing, Vols I-VI, Proceedings - Remote Sensing: Integrating Our View of the Planet*, pp. 2190-2192.
105. Gurung, D.R., A.V. Kulkarni, A. Giriraj, K.S. Aung, B. Shrestha and J. Srinivasan, 2011: Changes in seasonal snow cover in Hindu Kush-Himalayan region, *The Cryosphere Discuss.*, 5:755-777, <https://doi:10.5194/tcd-5-755-2011>.
106. Gurung, Deo Raj, Sudan Bikash Maharjan, Anu Bhalu Shrestha, Mandira Singh Shrestha, Sagar Ratna Bajracharya, and M. S. R. Murthy, 2017: Climate and topographic controls on snow cover dynamics in the Hindu Kush Himalaya, *International Journal of Climatology*, <https://doi:10.1002/joc.4961>.
107. Gusain, H.S., V.D. Mishra & M.K. Arora, 2014: Estimation of net shortwave radiation flux of western Himalayan snow cover during clear sky days using remote sensing and meteorological data, *Remote Sensing Letters*, 5(1), <https://doi:10.1080/2150704X.2013.866287>.
108. Gurung, D. R., Maharjan, S. B., Shrestha, A. B., Shrestha, M. S., Bajracharya, S. R. and Murthy, M. S. R., 2017: Climate and topographic controls on snow cover dynamics in the Hindu Kush Himalaya, *Int. J. Climatol.*, <https://doi:10.1002/joc.4961>.
109. Hakkinen, S., D.K. Hall, C. Shuman, D. Worthen and N.E. DiGirolamo, 2014: Greenland ice sheet melt, 2000 – 2013: Role of atmospheric blocking and jet stream meanders, *GRL*, <https://doi:10.1002/2013GL059185>.

110. Hall, D.K., A.B. Tait, J.L. Foster, A.T.C. Chang and M. Allen, 2000: Intercomparison of Satellite-Derived Snow-Cover Maps, *In: Steffen, K. (ed.), Annals of Glaciology*, 31:369-376.
111. Hall, D.K. and G.A. Riggs, 2000: Early Analysis of the EOS MODIS Snow Cover Data Products, *Proceedings of the 57th Eastern Snow Conference*, 17-19 May 2000, Syracuse, NY, 57:159-160.
112. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2001: Mapping Global Snow Cover Using Moderate Resolution Imaging Spectroradiometer (MODIS) Data, *Glaciological Data*, 33-36.
113. Hall, D.K., G.A. Riggs, V.V. Salomonson and G.R. Scharfen, 2001: Early Results from the Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow and Ice Cover Products, *IGARSS 2000; Institute of Electrical and Electronics Engineers (IEEE) 2000 International Geoscience and Remote Sensing Symposium: Taking the Pulse of the Planet; the Role of Remote Sensing in Managing the Environment: July 24-28, 2000: Honolulu, HI, United States*, 4:1763-1765.
114. Hall, D.K., G.A. Riggs, V.V. Salomonson and G.R. Scharfen, 2001: Earth Observing System (EOS) Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow-Cover Maps, *IAHS Proceedings and Reports*, 267:55-60.
115. Hall, D.K., G.A. Riggs, V.V. Salomonson and J.Y.L. Chien, 2001: Snow-Cover Variability in North America in the 2000-2001 Winter as Determined from MODIS Snow Products, *Geoscience and Remote Sensing Symposium, IGARSS '01, Institute of Electrical and Electronics Engineers (IEEE) 2001 International*, 3:1206-1208.
116. Hall, D.K., J.L. Foster, V.V. Salomonson, A.G. Klein and J.Y.L. Chien, 2001: Development of a Technique to Assess Snow-Cover Mapping Errors from Space, *IEEE Transactions on Geoscience and Remote Sensing*, (39)2:432-438.
117. Hall, D.K., G.A. Riggs, V.V. Salomonson and G.R. Scharfen, 2001: Earth Observing System (EOS) Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow-Cover Maps. *In: Owe, M., Braubaker, K., Ritchie, J. and Rango, A. (eds.), Remote Sensing and Hydrology, 2000*, pp. 55-60.
118. Hall, D.K., G.A. Riggs, V.V. Salomonson, N.E. DiGirolamo and K.J. Bayr, 2002: MODIS Snow-Cover Products, *Remote Sensing of Environment*, 83(1-2):181-194.
119. Hall, D.K., R. Solberg and G.A. Riggs, 2002: Validation of Satellite Snow-Cover Maps in North America and Norway, *Proceedings 59th Eastern Snow Conference*, 59:55-63.
120. Hall, D.K., R.E.J. Kelly, G.A. Riggs, A.T.C. Chang and J.L. Foster, 2002: Assessment of the Relative Accuracy of Hemispheric-Scale Snow-Cover Maps. *Annals of Glaciology*, 34:24-30.
121. Hall, D.K., V.V. Salomonson, G.A. Riggs and A.G. Klein, 2003: Snow and Ice Products from the Moderate Resolution Imaging Spectroradiometer, *Proceedings of the ASPRS meeting, 5-9 May 2003, Anchorage, AK*.
122. Hall, D.K., J.L. Foster, D.A. Robinson and G.A. Riggs, 2004: Merging the MODIS and RUCL Monthly Snow-Cover Records, *Proceedings of IGARSS 2004, Vols 1-7 - Science for Society: Exploring and Managing a Changing Planet*, 1318-1321.
123. Hall, D.K., R.S. Williams, Jr., K. Steffen and J.Y.L. Chien, 2004: Analysis of Summer 2002 Melt Extent on the Greenland Ice Sheet Using MODIS and SSM/I Data. *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings, Vols 1-7 - Science for Society: Exploring and Managing a Changing Planet*, pp. 3029-3032.

124. Hall, D.K., R. Solberg, K.A. Casey and J.-G. Winther, 2004: Comparison of MODIS and SnowStar Snow Maps in Scandinavia, *Proceedings of the 61st Eastern Snow Conference*, 9-11 June 2004, Portland, ME.
125. Hall, D.K., Foster, J. L., Robinson, D. A. and Riggs, G. A., 2004: Merging the MODIS and RUCS Monthly Snow-Cover Records, *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings*, Vol. 1-7 - Science for Society: Exploring and Managing a Changing Planet, pp. 1318-1321.
126. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2006: MODIS Snow and Sea Ice Products, in *Earth Science Satellite Remote Sensing – Vol. I: Science and Instruments*, J.J. Qu, W. Gao, M. Kafatos, R.E. Murphy and V.V. Salomonson (eds.), Springer, New York, pp. 154 – 181.
127. Hall, D.K., R.S. Williams, K.A. Casey, N.E. DiGirolamo and Z. Wan, 2006: Satellite-derived, melt-season surface temperature of the Greenland Ice Sheet (2000-2005) and its relationship to mass balance, *Geophysical Research Letters*, 33, L11501, [https://doi:10.1029/2006GL026444](https://doi.org/10.1029/2006GL026444).
128. Hall, D.K., P.M. Montesano, J.L. Foster, G.A. Riggs, R.E.J. Kelly and K. Czajkowski, 2007: Preliminary Evaluation of the AFWA-NASA Blended Snow-Cover Product Over the Lower Great Lakes Region, *Proc. 64th Eastern Snow Conference*, St. Johns, Newfoundland, Canada.
129. Hall, D.K. and G.A. Riggs, 2007: Accuracy Assessment of the MODIS Snow Products, *Hydrological Processes*, 21(12):1534-1547.
130. Hall, D.K., J.E. Box, K.A. Casey, S.J. Hook, C.A. Shuman and K. Steffen, 2008: Comparison of Satellite-Derived and In-Situ Observations of Ice and Snow Surface Temperatures over Greenland, *Remote Sensing of Environment*, 112:3739-3749.
131. Hall, D.K., S.V. Nghiem, C.B. Schaaf, N.E. DiGirolamo and G. Neumann, 2009: Evaluation of Surface and Near-Surface Melt Characteristics on the Greenland Ice Sheet Using MODIS and QuikSCAT data, *Journal of Geophysical Research-Earth Surface*, 114, F04006, [https://doi:10.1029/2009JF001287](https://doi.org/10.1029/2009JF001287).
132. Hall, D.K., C.B. Schaaf, Z. Wang and G.A. Riggs, 2009: Enhancement of the MODIS daily snow albedo product, *Proceedings of the 89th Annual AMS meeting, 23rd Conference on Hydrology*, 12-16 January 2009, Phoenix, Ariz.
133. Hall, D.K., G.A. Riggs, J.L. Foster and S.V. Kumar, 2010: Development and evaluation of a cloud-gap-filled MODIS daily snow-cover product, *Remote Sensing of Environment*, 114:496-503, [https://doi:10.1016/j.rse.2009.10.007](https://doi.org/10.1016/j.rse.2009.10.007).
134. Hall, D.K., J.L. Foster, N.E. DiGirolamo, J.S. Barton and G.A. Riggs, 2012: Snow cover and stream discharge in the Wind River Range, Wyoming, 1970 – 2009, *Remote Sensing of Hydrology 2010, Proceedings of the IAHS conference*, 27-30 September 2010, Jackson Hole, Wyo., IAHS Publ. 352, pp. 67-70.
135. Hall, D.K., J.L. Foster, N.E. DiGirolamo and G.A. Riggs, 2012: Snow cover, snowmelt timing and stream power in the Wind River Range, Wyoming, *Geomorphology*, [https://doi:10.1016/j.geomorph.2010.11.011](https://doi.org/10.1016/j.geomorph.2010.11.011).
136. Hall, D. K., Foster, J. L., Kumar, S., Chien, J. Y. L., and G.A. Riggs, 2012: Improving the accuracy of the AFWA-NASA (ANSA) blended snow-cover product over the Lower Great Lakes region, *Hydrol. Earth Syst. Sci. Discuss.*, 9:1141-1161, [https://doi:10.5194/hessd-9-1141](https://doi.org/10.5194/hessd-9-1141).

137. Hall, D.K., J.C. Comiso, N.E. DiGirolamo, C.A. Shuman, J.R. Key and L.S. Koenig, 2012: A Satellite-Derived Climate-Quality Data Record of the Clear-Sky Surface Temperature of the Greenland Ice Sheet, *Journal of Climate*, 25(14):4785-4798.
138. Hall, D.K., J.C. Comiso, N.E. DiGirolamo, C.A. Shuman, J.E. Box, and L.S. Koenig, 2013: Variability and trends in the ice surface temperature and surface melt extent of the Greenland ice sheet from MODIS, *Geophysical Research Letters*, 40:1-7, <https://doi:10.1002/grl.50240>.
139. Hall, D.K., C.J. Crawford, N.E. DiGirolamo, G.A. Riggs and J.L. Foster, 2015: Detection of earlier snowmelt in the Wind River Range, Wyoming, using Landsat imagery, *Remote Sensing of Environment*, 162:45-54, <https://doi.org/10.1016/j.rse.2015.01.032>.
140. Hall, D.K., S.V. Nghiem, I.G. Rigor and J.A. Miller., 2015: Uncertainties of temperature measurements on snow-covered land and sea ice from in-situ and MODIS data during BROMEX, *Journal of Applied Meteorology and Climatology*, 54(5):966-978, <https://doi:10.1175/JAMC-D-14-0175.1>.
141. Hall, D.K., A. Frei, N.E. DiGirolamo, J. H. Porter and G.A. Riggs, 2016: Snow cover and extreme streamflow events in the Catskill/Delaware watershed, New York, *Proceedings of the IAHR*, 31 May – 3 June, 2016, Ann Arbor, MI.
142. Hall, D.K., R.I. Cullather, J.C. Comiso, N.E. DiGirolamo, S.M. Nowicki and B.C. Medley, 2018: A multilayer surface temperature, surface albedo, and water vapor product of Greenland from MODIS, *Remote Sensing [Feature Paper - Special Issue: Remote Sensing of Essential Climate Variables and their Applications]*, 10, 555, <https://doi:10.3390/rs10040555>.
143. Hall, D.K., A. Frei and N.E. DiGirolamo, 2018: On the frequency of lake-effect snowfall in the Catskill Mountains, *Physical Geography*, <https://doi:10.1080/02723646.2018.1440827>.
144. Hammond, J. C., F.A. Saavedra and S.K. Kampf, 2018: How does snow persistence relate to annual streamflow in mountain watersheds of the Western U.S. with wet maritime and dry continental climates? *Water Resources Research*, 54, <https://doi.org/10.1002/2017WR021899>.
145. Hammond, J.C., F.A. Saavedra and S.K. Kampf, 2018: Global snow zone maps and trends in snow persistence 2001-2016, *International Journal of Climate*, <https://10.1002/joc.5674>.
146. Härer, S., M. Bernhardt, M. Siebers and K. Schulz, On the need of a time and location dependent estimation of the NDSI threshold value for reducing existing uncertainties in snow cover maps at different scales, *The Cryosphere Discussions*, <https://doi.org/10.5194/tc-2017-177>.
147. Hay, L.E., G.H. Leavesley, and M.P. Clark, 2006: Use of remotely-sensed snow covered area in watershed model calibration for the Sprague River, Oregon. *Proc. Of the Joint 8th Federal Interagency Sedimentation Conference and 3rd Federal Interagency Hydrologic Modeling Conference*, April 2-6, 2006, Reno, Nevada.
148. He, Z. H., Parajka, J., Tian, F. Q., and Blöschl, G., 2014: Estimating degree-day factors from MODIS for snowmelt runoff modeling, *Hydrol. Earth Syst. Sci.*, 18, 4773-4789, <http://dx.doi.org/10.5194/hess-18-4773-2014>.
149. Heinilä, K., M. Salminen, S. Metsämäki, P. Pellikka, S. Koponen and J. Pulliainen, 2019: Reflectance variation in boreal landscape during the snow melting period using airborne imaging spectroscopy, *International Journal of Applied Earth Observation and Geoinformation* 76:66-76.

150. Hoffmann, B., B. Bookhagen, S.M. Olen, F. Barthold and D. Sachse, 2018: The effect of Indian Summer Monsoon rainfall on surface water δD values in the central Himalaya, *Hydrological Processes*, <https://doi.org/10.1002/hyp.13281>.
151. Homan, J. W., C.H. Luce, J.P. McNamara, and N.P. Glen, 2011: Improvement of distributed snowmelt energy balance modeling with MODIS-based NDSI-derived fractional snow-covered area data, *Hydrological Processes*, 25:650-660, <https://doi.org/10.1002/hyp.7857>.
152. Hori, M., Aoki, T., Stamnes, K. and Li, W., 2007: ADEOS-II/GLI Snow/Ice Products - Part III: Retrieved Results, *Remote Sensing of Environment*, 111:291-336.
153. Huang, X., T. Liang, X. Zhang, Z. Guo, 2011: Validation of MODIS snow cover products using Landsat and ground measurements during the 2001-2005 snow seasons over northern Xinjiang, China, *International Journal of Remote Sensing*, 32(1):133 -152.
154. Huang, X., Deng, J., Wang, W., Feng, Q., Liang, T., 2017: Impact of climate and elevation on snow cover using integrated remote sensing snow products in Tibetan Plateau, *Remote Sensing of Environment*, 190:274 – 288, <https://doi.org/10.1016/j.rse.2016.12.028>.
155. Huang, X., Deng, J., Wang, W., Feng, Q., Liang, T., 2017: Impact of climate and elevation on snow cover using integrated remote sensing snow products in Tibetan Plateau, *Remote Sensing of Environment*, 190:274 – 288 <https://dx.doi.org/10.1016/j.rse.2016.12.028>.
156. Huang, Y., H. Liu, B. Yu, J. Wu, E.L. Kang, M.Xu, S. Wang, A. Klein and Y. Chen, 2017: Improving MODIS snow products with a HMRF-based spatio-temporal modeling technique in the Upper Rio Grande Basin, *Remote Sensing of Environment*, <https://doi.org/10.1016/j.rse.2017.10.001>.
157. Hüsler, F., T. Jonas, S. Wunderle and S. Albrecht, 2012: Validation of a modified snow cover retrieval algorithm from historical 1-km AVHRR data over the European Alps, *Remote Sensing of Environment*, 121(2012):497– 515.
158. Hyvarinen, O., Eerola, K., Siljamo, N. and Koskinen, J., 2009: Comparison of snow cover from satellite and numerical weather prediction models in the Northern Hemisphere and Northern Europe, *Journal of Applied Meteorology and Climatology*, 48:1199-1216.
159. Ichii, K., M.A. White, P. Votava, A. Michaelis and R. Nemani, 2008: Evaluation of snow models in terrestrial biosphere models using ground observation and satellite data: impact on terrestrial ecosystem processes, *Hydrological Processes*, 22:347-355.
160. Immerzeel, W.W., Droogers, P., de Jong, S.M. and Bierkens, M.F.P., 2009: Large-Scale Monitoring of Snow Cover and Runoff Simulation in Himalayan River Basins Using Remote Sensing, *Remote Sensing of Environment*, 113:40-49.
161. Jain, S.K., A. Goswami and A.K. Saraf, 2008: Accuracy Assessment of MODIS, NOAA and IRS Data in Snow Cover Mapping Under Himalayan Conditions, *International Journal of Remote Sensing*, iFirst Article, 1-16, <https://doi.org/10.1080/01431160801908129>.
162. Jain, S. K., L. N. Thakural, R. D. Singh, A. K. Lohani, and S. K. Mishra, 2011: Snow Cover Depletion under Changed Climate with the Help of Remote Sensing and Temperature Data, *Natural Hazards* 58(3):891-904.
163. Jiménez-Muñoz, J.C., Sobrino, J.A., Mattar, C., 2013: Has the Northern Hemisphere been warming or cooling during the boreal winter of the last few decades?, *Global and Planetary Change*, 106:31-38.

164. Justice, C., Townshend, J., Vermote, E., Sohlberg, R., Descloitres, J., Roy, D., Hall, D., Salomonson, V., Riggs, G., Huete, A., Didan, K., Miura, T., Wan, Z.M., Strahler, A., Schaaf, C., Myneni, R., Running, S., Glassy, J., Nemani, R., El Saleous, N. and Wolfe, R., 2000: Preliminary Land Surface Products from the NASA moderate Resolution Imaging Spectroradiometer (MODIS). In: Stein, T.I. (ed.), *IGARSS 2000: IEEE 2000 International Geoscience and Remote Sensing Symposium, Vol I - VI, Proceedings*, 1157-1162.
165. Justice, C., et al, 2001: The Availability and Status of MODIS Land Data Products, *The Earth Observer*, 12(6):10-17.
166. Justice, C.O., 2002: An Overview of MODIS Land Data Processing and Product Status, *Remote Sensing of Environment*, 83(1):3-15.
167. Kaminski, M., Weaver, R., Marquis, M., Meier, W. and IEEE, 2004: Cryospheric Products from Earth Observing System Satellites at the National Snow and Ice Data Center. *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings, Vols 1-7 - Science for Society: Exploring and Managing a Changing Planet*, 2200-2203.
168. Karlsen, S.R., Malnes, E., Haarpaintner, J. and Solberg, R., 2007: Mapping and Modeling the Snowmelt and Greening Pattern in Southern Norway by Combining Microwave and Optical Remote Sensing Sensors. *IGARSS: 2007 IEEE International Geoscience and Remote Sensing Symposium, Vols. 1-12 - Sensing and Understanding Our Planet*, 1279-1282, <https://doi.org/10.1109/IGARSS.2007.4423039>.
169. Kelly, R.E.J., A.T.C. Chang, J.L. Foster and D.K. Hall, 2003: The Effect of Sub-Pixel Areal Distribution of Snow on the Estimation of Snow Depth from Spaceborne Passive Microwave Instruments, *Proceedings IGARSS '03*, 4:2834.
170. Kelly, R.E.J., et al, 2004: Using Remote Sensing and Spatial Models to Monitor Snow Depth and Snow Water Equivalent, *Spatial Modeling of the Terrestrial Environment*, edited by R. Kelly, N. Drake, S. Barr, C 2004 John Wiley & Sons, Ltd., pp. 35-58.
171. Khlopenkov, K.V. and A.P. Trischenko, 2007: SPARC: New cloud, snow, and cloud shadow detection scheme for historical 1-km AVHRR data over Canada, *Journal of Atmospheric and Oceanic Technology*, 24(3):322-343.
172. Khoramian, A. and A.B. Dariane, 2017: Developing a cloud-reduced MODIS surface reflectance product for snow cover mapping in mountainous regions, *Geosciences*, 7(2):29, <https://doi.org/10.3390/geosciences7020029>.
173. Klein, A.G., D.K. Hall, G.A. Riggs and I. Isrse, 1998: Global Snow Cover Monitoring Using MODIS, *Proc. Int'l. Symposium on Remote Sensing of Environment*, 8-12 June, 1998, Tromso, Norway, pp. 363-366.
174. Klein, A.G., D.K. Hall and K. Seidel, 1998: Algorithm Intercomparison for Accuracy Assessment of the MODIS Snow-Mapping Algorithm. In: Taylors, S. and Hardy, J. (eds.), *Proceedings of the 55th Annual Eastern Snow Conference*, pp. 37-45.
175. Klein A.G and J. Stroeve, 2002: Development and validation of a snow albedo algorithm for the MODIS instrument, *Annals of Glaciology*, 34:45-52.
176. Klein, A.G., 2003: Determination of broadband albedos of partially snow-covered sites for validation of MODIS snow albedo retrievals, *Proceedings of the 60th Eastern Snow Conference*, pp. 23-35.

177. Klein A.G. and A.C. Barnett, 2003: Validation of daily MODIS snow maps of the Upper Rio Grande River Basin for the 2000-2001 snow year, *Remote Sensing of Environment*, 86:162-176, [https://doi:10.1016/S0034-4257\(03\)00097-X](https://doi:10.1016/S0034-4257(03)00097-X).
178. Klein, A.G., D.K. Hall and G.A. Riggs, 1998: Improving snow cover mapping in forests through the use of a canopy reflectance model, *Hydrological Processes*, 12(10/11):1723-1744.
179. Kostadinov, T.S., et al., 2015: Snow cover variability in a forest ecotone of the Oregon Cascades via MODIS Terra products, *Remote Sensing of Environment*, 164:155-169, <https://doi:http://dx.doi.org/10.1016/j.rse.2015.04.002>.
180. Krajčů, Pavel et al., 2014: Estimation of regional snowline elevation (RSLE) from MODIS images for seasonally snow covered mountain basins, *Journal of Hydrology*, 519B:1769-1778. <https://doi:http://dx.doi.org/10.1016/j.jhydrol.2014.08.064>.
181. Krajčů, P., Ladislav H., and J. Parajka, 2016: Variability of snow line elevation, snow cover area and depletion in the main Slovak basins in winters 2001–2014, *Journal of Hydrology and Hydromechanics*, 64(1):12-22, <https://doi:http://dx.doi.org/10.1515/johh-2016-0011>.
182. Kristoffer, A., S. Westermann, T. V. Schuler, J. Boike, and L. Bertino, Ensemble-based assimilation of fractional snow-covered area satellite retrievals to estimate the snow distribution at Arctic sites, *The Cryosphere* 12, 1:247.
183. Kropacek, J., F. Chen, S. Hoerz and V. Hochschild, 2013: Analysis of ice phenology of lakes on the Tibetan Plateau from MODIS data, *The Cryosphere*, 7:287–301, <https://doi:10.5194/tc-7-287>.
184. Kuchment L.S., P. Romanov, A.N. Gelfan, and V.N. Demidov, 2010: Use of satellite-derived data for characterization of snow cover and simulation of snowmelt runoff through a distributed physically based model of runoff generation, *Hydrol. Earth Syst. Sci.*, 14:339–350.
185. Kumar, S.V., C.D. Peters-Lidard, K.R. Aresenault, A. Getirana, D. Mocko and Y. Liu, 2015: Quantifying the added value of snow cover area observations in passive microwave snow depth data assimilation, *Journal of Hydrometeorology*, 16:1736-1741, <https://dx.doi.org/10.1175/JHM-D-15-0021.1>.
186. Kuter, S., Z. Akyürek, and G-W. Weber, 2016: Estimation of subpixel snow-covered area by nonparametric regression splines, *International Archives of the Photogrammetry, Remote Sensing & Spatial Information Sciences* 42.
187. Kuter, S., Z. Akyurek and G-W Weber, 2018: Retrieval of fractional snow covered area from MODIS data by multivariate adaptive regression splines, *Remote Sensing of Environment*, 205:236-252.
188. Lang, J., S. Lyu, Z. Li, Y. Ma, and D. Su, 2018: An Investigation of Ice Surface Albedo and Its Influence on the High-Altitude Lakes of the Tibetan Plateau, *Remote Sensing* 10, 2:218.
189. Lee, S.W., A.G. Klein, and T.M. Over, 2005: A comparison of MODIS and NOHRSC snow-cover products for simulating streamflow using the snowmelt runoff model, *Hydrological Processes*, 19:2951-2972.
190. Lee, W.-L. and K.N. Liou, 2012: Effect of absorbing aerosols on snow albedo reduction in the Sierra Nevada, *Atmospheric Environment*, 55:425-430.

191. Lehnherr, I., V.L. St. Louis, M. Sharp, A.S. Gardner and 12 others, 2018: The world's largest High Arctic lake responds rapidly to climate warming, *Nature Communications*, 9, article number: 1290, <https://doi.org/10.1038/s41467-018-03685-z>.
192. Lei, L., Z. Zeng and B. Zhang, 2012: Method for detecting snow lines from MODIS data and assessment of changes in the Nianqingtanglha Mountains of the Tibet Plateau, *JSTARS*, 5(3):769-776.
193. Li, B., A. Zhu, C. Zhou, Y. Zhang, T. Pei and C. Qin, 2008: Automatic mapping of snow cover depletion curves using optical remote sensing data under conditions of frequent cloud cover and temporary snow, *Hydrological Processes*, 22(16):2930-2942, <https://doi.org/10.1002/hyp.6891>.
194. Li, X. and M.W. Williams, 2008: Snowmelt runoff modeling in an arid mountain watershed, Tarim Basin, China, *Hydrological Processes*, 22(19):3931-3940, <https://doi.org/10.1002/hyp.7098>.
195. Li, L.-Y. and C.-Q. Ke, 2014: Analysis of spatiotemporal snow cover variations in Northeast China based on Moderate-resolution Imaging Spectroradiometer data, *Jour. Appl. Rem. Sens.*, 8(1), <https://doi.org/10.1117/1.JRS.8.084695>.
196. Li, C., F. Su, D. Yang, K. Tong, F. Meng and B. Kan, 2017: Spatiotemporal variation of snow cover over the Tibetan Plateau based on MODIS snow product, 2001–2014, *International Journal of Climatology*, <https://doi.org/10.1002/joc.5204>.
197. Li, X., W. Fu, H. Shen, C. Huang, and L. Zhang, 2017: Monitoring snow cover variability (2000–2014) in the Hengduan Mountains based on cloud-removed MODIS products with an adaptive spatio-temporal weighted method, *Journal of Hydrology*, <https://doi.org/10.1016/j.jhydrol.2017.05.049>.
198. Liang, S., J. Stroeve and J.E. Box, 2005: Mapping Daily Snow/Ice Shortwave Broadband Albedo from Moderate Resolution Imaging Spectroradiometer (MODIS): the improved direct retrieval algorithm and validation with Greenland in situ measurement, *JGR*, 110(D10).
199. Liang, T., X. Huang, C.Wu, X. Liu, W. Li, Z. Guo and J. Ren, 2008: An application of MODIS data to snow cover monitoring in a pastoral area: a case study in Northern Xinjiang, China, *Remote Sensing of Environment*, 112(4):1514-1526.
200. Liang, T., X. Zhang and H. Xie, et al., 2008: Toward Improved Daily Snow Cover Mapping with Advanced Combination of MODIS and AMSR-E Measurements, *Remote Sensing of Environment*, 112(10): 3750-3761, <https://doi.org/10.1016/j.rse.2008.05.010>.
201. Liao, C., Q. Zhuang, 2017: Quantifying the role of snowmelt in stream discharge in an Alaskan watershed: An analysis using spatially distributed surface hydrology model, *JGR-Earth Surface*, <https://doi.org/10.1002/2017JF004214>.
202. Linde, J. and S. Grab, 2011: The changing trajectory of snow mapping, *Progress in Physical Geography*, 35(2):139-160, <https://doi.org/10.1177/0309133311399493>.
203. Liu, J., Z. Wanchang and T. Liu, 2017: Monitoring recent changes in snow cover in Central Asia using improved MODIS snow-cover products, *Journal of Arid Land*, 9(5):763-777.
204. Liu, S.H. and Shi, J.C, 2002: MODIS fraction snow mapping. *IGARSS 2002: IEEE International Geoscience and Remote Sensing Symposium and 24th Canadian Symposium on Remote Sensing, Vols I-Vi, Proceedings - Remote Sensing: Integrating Our View of the Planet*, pp. 2196-2198.

205. Liu, Y., C.D. Peters-Lidard, S. Kumar, J.L. Foster, M. Shaw, Y. Tian, G.M. Fall, 2013: Assimilating satellite-based snow depth and snow cover products for improving snow predictions in Alaska, *Advances in Water Resources*, 54:208 – 227.
206. Liu, Z.M., Zhan, C.X., Sun, J.X. and Wei, Y., 2009: The extraction of snow cover information based on MODIS data and spatial modeler tool, 2008: *International Workshop on Education Technology and Training & 2008 International Workshop on Geoscience and Remote Sensing*, Shanghai, China, 21-22 Dec., ISBN: 978-0-7695-3563-0, 836-839.
207. Lopez, P., Sirguey, P., Arnaud, Y., Pouyaud, B. and Chevallier, P., 2008: Snow Cover Monitoring in the Northern Patagonia Icefield Using MODIS Satellite Images (2000-2006), *Global and Planetary Change*, 61:103-116, doi:10.1016/j.gloplacha.2007.07.005.
208. Luijting, H., D. Vikhamar-Schuler, T. Aspelien and M. Homleid, 2017: Forcing the SURFEX/Crocus snow model with combined hourly meteorological forecasts and gridded observations in southern Norway, *The Cryosphere Discussions*, <https://doi.org/10.5194/tc-2017-220>.
209. Mahoney, P.J., G.E. Liston, S. LaPoint, E. Gurarie, B. Mangipane, A.G. Wells, Todd J. Brinkman et al., 2018: Navigating snowscapes: scale-dependent responses of mountain sheep to snowpack properties, *Ecological Applications*, <https://doi.org/10.1002/eap.1773>.
210. Malcher, P., D. et al., 2003: Snow mapping in alpine areas using medium resolution spectrometric sensors. *IGARSS 2003: IEEE International Geoscience and Remote Sensing Symposium, Vols I - VII, Proceedings - Learning from Earth's Shapes and Sizes*, pp. 2835-2837, <https://doi.org/10.1109/IGARSS.2003.1294603>.
211. Malmros, J.K., S.H. Mernild, R. Wilson, T. Tagesson and R. Fensholt, 2018: Snow cover and snow albedo changes in the central Andes of Chile and Argentina from daily MODIS observations (2000 – 2016), *Remote Sensing of Environment*, 209:24-252, <https://doi.org/10.1016/j.rse.2018.02.072>.
212. Malnes, E., S.R. Karlsen, B. Johansen, J.W. Bjerke, and H. Tømmervik, 2016: Snow season variability in a boreal-Arctic transition area monitored by MODIS data, *Environmental Research Letters*, 11(12):125005.
213. Marchane, A., Jarlan, L., Hanich, L., Boudhar, A., Gascion, S., Taternier, A., Filali, N. LePage, M., Hagolle, O. and Berjamy, B., 2015: Assessment of daily MODIS snow cover products to monitor snow cover dynamics over the Moroccan Atlas mountain range, *Remote Sens. Environ.*, 160:72-86, <https://doi.org/10.1016/j.rse.2015.01.002>.
214. Marcil, G.K., M. Trudel, and R. Leconte, 2015: Flood monitoring during the Snowmelt Period using Remotely Sensed MODIS Snow Products: Case Study of the Nechako Reservoir, Canada, *Proceedings of the 71st Eastern Snow Conference Proceedings*, 75–92.
215. Marke, T., F. Hanzer, M. Oiefs, and U. Strasser, 2018: Simulation of Past Changes in the Austrian Snow Cover 1948–2009, *Journal of Hydrometeorology* Sept. 12, 2018.
216. Maskey, S., S. Uhlenbrook, and S. Ojha, 2011: An Analysis of Snow Cover Changes in the Himalayan Region Using MODIS Snow Products and in-Situ Temperature Data, *Climatic Change*, 108(1-2):391-400.
217. Masson, T., M. Dumont, M. Dalla Mura, P. Sirguey, S. Gascoin, J.-P. Dedieu, and J. Chanussot, 2018: An Assessment of Existing Methodologies to Retrieve Snow Cover Fraction from MODIS Data, *Remote Sensing* 10(4):619.

218. Matsuoka, M., T. Hayasaka, Y. Fukushima and Y. Honda, 2007: Land Cover in East Asia Classified Using Terra MODIS and DMSP OLS Products, *International Journal of Remote Sensing*, 28(2):221-248.
219. Maurer, E.P., J.D. Rhoads, R.O. Dubayah and D.P. Lettenmaier, 2003: Evaluation of the Snow-Covered Area Data Product from MODIS, *Hydrologic Processes*, 17(1):59-71, <https://doi.org/10.1002/hyp.1193>.
220. Mazari N, A.E. Tekeli, H. Xie, H.O. Sharif, A. A. El Hassan, 2013: Assessment of ice mapping system and moderate resolution imaging spectroradiometer snow cover maps over Colorado Plateau, *Journal of Applied Remote Sensing*, 7(1):073540.
221. McGuire, M., A. Wood, Q. Zeng and D. Lettenmaier, 2005: Use of MODIS snow cover imagery for streamflow and reservoir storage forecasts in the Snake River Basin, *Proc. of the 85th AMS Annual Meeting (San Diego, Ca.), 19th Conference on Hydrology*, January 2005.
222. McGuire, M., A.W. Wood, A.F. Hamlet and D.P. Lettenmaier, 2006: Use of satellite data for streamflow and reservoir storage forecasts in the Snake River Basin, *Journal of Water Resources Planning and Management*, 132(2):97-110, [https://doi.org/10.1061/\(ASCE\)0733-9496](https://doi.org/10.1061/(ASCE)0733-9496).
223. Metsämäki, S.J., S.T. Anttila, H.J. Markus, and J.M. Vepsäläinen, 2005: A feasible method for fractional snow cover mapping in boreal zone based on a reflectance model, *Remote Sensing of Environment*, 95(1):77-95.
224. Metsämäki, S.J., K. Bottcher, J. Pulliainen and six others, 2018: The accuracy of snow melt-off day derived from optical and microwave radiometer data – A study for Europe, *Remote Sensing of Environment*, 211:1-12, <https://doi.org/10.1016/j.rse.2018.03.029>.
225. Miller, S.D., Lee, T.F. and Fennimore, R.L., 2005: Satellite-Based Imagery Techniques for Daytime Cloud/Snow Delineation from MODIS, *Journal of Applied Meteorology*, 44:987-997.
226. Ming, J., Z. Du, C. Xiao, X. Xu and D. Zhang, 2012: The mid-Himalaya glaciers are darkening since 2000 and the potential causes, *Environmental Research Letters*, 7, <https://doi.org/10.1088/1748-9326/7/1/014021>.
227. Mir, R. A., S.K. Jain, A.K. Saraf and A. Goswami, 2015: Accuracy assessment and trend analysis of MODIS derived data on snow-covered areas in the Sutley basin, Western Himalayas, *Int. Jour. Remote Sens.*, 36:3837-3858, <https://doi.org/10.1080/01431161.2015.1070320>.
228. Mishra, V.D., Negi, H.S., Rawat, A.K., Chaturvedi, A. and Singh, R.P., 2009: Retrieval of sub-pixel snow cover information in the Himalayan region using medium and coarse resolution remote sensing data, *International Journal of Remote Sensing*, 30:4707-4731.
229. Mishra, B., M.S. Babel and N.K. Tripathi, 2014: Analysis of climatic variability and snow cover in the Kaligandaki River Basin, Himalaya, Nepal, *Theoretical and Applied Climatology*, 116:681-694, <https://doi.org/10.1007/s00704-013-0966-1>.
230. Mishra, B., V.V. Zaphu, N. Monica, A. Bhadra and A. Bandyopadhyay, 2016: Accuracy assessment of MODIS fractional snow cover product for Eastern Himalayan Catchment, *Journal of the Indian Society of Remote Sensing*, first online: 29 February 2016:1-9.
231. Mitkari, K.V., M.K. Arora, V.D. Mishra, H.S. Gusain and N.K. Gupta, 2017: Development of an operational algorithm for estimating snow-cover fraction, Geological Society, London, Special Publications 462, SP462-7, <https://doi.org/10.1144/SP462.7>

232. Möller, Rebecca, et al., 2014: MODIS-derived albedo changes of Vatnajökull (Iceland) due to tephra deposition from the 2004 Grímsvötn eruption. *International J. of Applied Earth Observation and Geoinformation*, 26:256-269, <https://dx.doi.org/10.1016/j.jag.2013.08.005>.
233. Molotch, N.P. and S.A. Margulis, 2008: Estimating the distribution of snow water equivalent using remotely sensed snow cover data and a spatially distributed snowmelt model: a multi-resolution, multi-sensor comparison, *Advances in Water Resources*, 31(11):1503–1514, <https://doi:10.1016/j.advwatres.2008.07.017>.
234. Molotch, N.P., 2009: Reconstructing snow water equivalent in the Rio Grande headwaters using remotely sensed snow cover data and a spatially distributed snowmelt model, *Hydrological Processes*, 23:1076–1089, <https://doi:10.1002/hyp.7206>.
235. Molotch, N.P., S.A. Margulis and S.M. Jepsen, 2010: Response to comment by A.G. Slater, M.P. Clark, and A.P. Barrett on Estimating the distribution of snow water equivalent using remotely sensed snow cover data and a spatially distributed snowmelt model: A multi-resolution, multi-sensor comparison, *Advances in Water Resources*, 33:231-239, <https://doi:10.1016/j.advwatres.2009.09.001>.
236. Moore, C., 2012: A climatological study of snow covered areas in the western United States, M.S. thesis, Colorado State University Department of Ecosystem Science and Sustainability, 101 p.
237. Moore C., S. Kampf, B. Stone and E. Richer, 2015: A GIS-based method for defining snow zones: application to the western United States, *Geocarto International*, 30(1):62-81, <https://doi:10.1080/10106049.2014.885089>.
238. Moore, G. W. K., 2004: Mount Everest Snow Plume: A Case Study, *Geophysical Research Letters*, 31(22):L22102/1-4.
239. Moradkhani, H., 2008: Hydrologic Remote Sensing and Land Surface Data Assimilation, *Sensors*, 8:2986-3004, <https://doi:10.3390/s8052986>.
240. Morriss, B.F., E. Ochs, E.J. Deeb, S.D. Newman, S.F. Daly and J.J. Gagnon., 2016: Persistence-based temporal filtering for MODIS snow products, *Remote Sensing of Environment*, 175:130-137.
241. Mortimer, C.A., M. Sharp and B. Wouters, 2016: Glacier surface temperatures in the Canadian High Arctic, 2000-15, *Journal of Glaciology*, 62(235):963-975.
242. Muhammad, P., C. Duguay, and K.-K. Kang, 2016: Monitoring ice break-up on the Mackenzie River using MODIS data, *Cryosphere*, 10(2):569-584, <https://doi.org/10.5194/tc-10-569-2016>.
243. Munkhjargal, M., S. Groos, C.G. Pan, G. Yadamsuren, J. Yamkin, and L. Menzel, 2019: Multi-Source Based Spatio-Temporal Distribution of Snow in a Semi-Arid Headwater Catchment of Northern Mongolia, *Geosciences* 9(1):53.
244. Nagler, T., Rott, H., Malcher, P. and Muller, F., 2008: Assimilation of Meteorological and Remote Sensing Data for Snowmelt Runoff Forecasting, *Remote Sensing of Environment*, 112:1408-1420.
245. Narasimhan, R., D. Stow, 2010: Daily MODIS products for analyzing early season vegetation dynamics across the North Slope of Alaska, *Remote Sensing of Environment*, 114(6):1251 – 1262.

246. Negi, H.S., S. K. Singh, A. V. Kulkarni & B. S. Semwal, 2010: Field-based spectral reflectance measurements of seasonal snow cover in the Indian Himalaya, *International Journal of Remote Sensing*, 31(9):2393-2417.
247. Nghiem, S.V. D.K. Hall, T.L. Mote, M. Tedesco, M. Albert, K. Keegan, C.A. Shuman, N.E. DiGirolamo and G. Neumann, 2012: The extreme melt across the Greenland ice surface in 2012, *Geophysical Research Letters*, 117, <https://doi:10.1029/2012GL053611>.
248. Niemi, K., S. Metsamaki, J. Pulliainen, H. Suokanerva, K. Bottcher, M. Lepparanta and P. Pelikka, in press: The behaviour of mast-borne spectra in a snow-covered boreal forest, *Remote Sensing of Environment*, 113(5):907-918.
249. Nolin, A.W., 2010: Recent advances in remote sensing of seasonal snow, *Journal of Glaciology*, 56(200):1141-1150.
250. Notarnicola, C., M. Duguay, N. Moelg, T. Schellenberger, A. Tetzlaff, R. Monsorno, A. Costa, C. Steurer and M. Zebisch, 2013: Snow cover maps from MODIS images at 250 m resolution, Part 1: Algorithm Description, *Remote Sensing*, 5:110-126, <https://doi:10.3390/rs5041568>.
251. Notarnicola, C., M. Duguay, N. Moelg, T. Schellenberger, A. Tetzlaff, R. Monsorno, A. Costa, C. Steurer and M. Zebisch, 2013: Snow cover maps from MODIS images at 250 m resolution, Part 2: Validation, *Remote Sensing*, 5(4):1568-1587, <https://doi:10.3390/rs5010110>.
252. O'Leary, D.S., J.L. Kellermann and C. Wayne, 2018: Snowmelt timing, phenology, and growing season length in conifer forests of Crater Lake National Park, USA, *International Journal of Biometeorology*, <https://doi.org/10.1007/s00484-017-1449-3>.
253. O'Leary, D., D. Hall, M. Medler and A. Flower, 2018: Quantifying the early snowmelt event of 2015 in the Cascade Mountains, USA by developing and validating MODIS-based snowmelt timing maps, *Frontiers of Earth Science*, <https://doi.org/10.1007/s11707-018-0719-z7>.
254. Pan, C.G., P.B. Kirchner, J.S. Kimball, Y. Kim, and J. Du, 2018: Rain-on-snow events in Alaska, their frequency and distribution from satellite observations, *Environmental Research Letters* 13(7):075004.
255. Parajka, J. and G. Blöeschl, 2006: Validation of MODIS Snow Cover Images Over Austria, *Hydrology and Earth System Sciences*, 10(5):679-689.
256. Parajka, J. and G. Blöeschl, 2008: Spatio-Temporal Combination of MODIS Images -- Potential for Snow Cover Mapping, *Water Resources Research*, 44: W03406. <https://doi:10.1029/2007WR006204>.
257. Parajka, J. and G. Blöeschl, 2008: The Value of MODIS Snow Cover Data in Validating and Calibrating Conceptual Hydrologic Models, *Journal of Hydrology*, 358(3-4):240-258. <https://doi:10.1016/j.jhydrol.2008.06.006>.
258. Parajka, J., M. Pepe, A. Rampini, S. Rossi and G. Blöeschl, 2010: A regional snow-line method of estimating snow cover from MODIS during cloud cover, *Journal of Hydrology*, 381:203-212, <https://doi:10.1016/j.jhydrol.2009.11.042>.
259. Parajka, J., L. Holko, Z. Kostka and G. Blöeschl, 2012: MODIS snow cover mapping accuracy in small mountain catchment – comparison between open and forest sites, *Hydrol. Earth Syst. Sci. Discuss.*, 9:4073-4100, <https://doi:10.5194/hessd-9-4073-2012>.

260. Parajka, J., et al., 2012: MODIS Snow Cover Mapping Accuracy in a Small Mountain Catchment - Comparison between Open and Forest Sites, *Hydrology and Earth System Sciences*, 16:2365-2377.
261. Parajka, J., and Blöschl, G., 2012: MODIS-based Snow Cover Products, Validation, and Hydrologic Applications. In: Multiscale Hydrologic Remote Sensing Perspectives and Applications, Eds (Chang Y. and Ni-Bin H.), CRC Press 2012, pp.185-212, Print ISBN: 978-1-4398-7745-6.
262. Parajka, J., Nejc Bezak, J. Burkhart, B. Hauksson, L. Holko, Y. Hundecha, M. Jenicek et al., 2019: MODIS snowline elevation changes during snowmelt runoff events in Europe, *J. Hydrol. Hydromech.*, 67:101-109.
263. Paudel, K.P. and P. Anderson, 2011: Monitoring snow cover variability in an agropastoral area in the Trans Himalayan region of Nepal using MODIS data with improved cloud removal methodology, *Remote Sensing of Environment*, 115(5):1234–1246.
264. Pei, H., Z. Qin, S. Fang and Z. Liu, 2008: Snow mapping for water resource management using MODIS Satellite data in northern Xinjiang, China, *Remote Sensing Agricultural Ecosystem Hydrology*, 7401:1-10.
265. Petersky, R. and A. Harpold, 2018: Now you see it now you don't: A case study of ephemeral snowpacks in the Great Basin U.S.A., *Earth Syst. Sciences*, 22(9): 4891-4906, <https://doi.org/10.5194/hess-2017-749>.
266. Pimentel, R., C. Marin, L. De Gregorio, and four others, 2018: Validating improved-MODIS products from spectral mixture-Landsat snow cover maps in a mountain region in southern Spain, *Proceedings of the International Association of Hydrological Sciences*, 380:67-72, <https://doi.org/10.5194/piahs-380-67-2018>.
267. Pinker, R.T., X. Li, W. Meng and E.A. Yegorova, 2007: Toward Improved Satellite Estimates of Short-Wave Radiative Fluxes - Focus on Cloud Detection Over Snow: 2. Results, *Journal of Geophysical Research – Atmospheres*, 112(D9) D09204.
268. Pinty, B., et al, 2008: Partitioning the Solar Radiant Fluxes in Forest Canopies in the Presence of Snow, *Journal of Geophysical Research - Atmospheres*, 113(D04104), <https://doi:10.1029/2007JD009096>.
269. Platnick, S., M. D. King, S. A. Ackerman, et al, 2003: The MODIS Cloud Products: Algorithms and Examples from Terra, *Institute of Electrical and Electronics Engineers (IEEE) Transactions on Geosciences and Remote Sensing*, 41(2):459-473.
270. Polashenski, C.M., J.E. Dibb, M.G. Flanner, J.Y. Chen, Z.R. Courville, A.M. Lai, J.J. Schauer, M.M. Shafer and M. Bergin, 2015: Neither dust nor black carbon causing apparent albedo decline in Greenland's dry snow zone: Implications for MODIS C5 surface reflectance, *Geophysical Research Letters*, 42(21):9319-9327.
271. Poon, S. K. M. and C. Valeo, 2006: Investigation of the MODIS Snow Mapping Algorithm During Snowmelt in the Northern Boreal Forest of Canada, *Canadian Journal of Remote Sensing*, 32(3):254-267.
272. Preußner, A., S. Willmes, G. Heinemann, and S. Paul, 2015: Thin-ice dynamics and ice production in the Storfjorden polynya for winter seasons 2002/2003–2013/2014 using MODIS thermal infrared imagery, *The Cryosphere* 9, no. 3 (2015):1063-1073.
273. Pu, Z., L. Zu and V.V. Salomonson, 2007: MODIS/Terra Observed Seasonal Variations of

Snow Cover Over the Tibetan Plateau, *Geophysical Research Letters*, 34(6):L06706, <https://doi.org/10.1029/2007GL029262>.

274. Pu, Z.X. and Xu, L., 2009: MODIS/Terra Observed Snow Cover Over the Tibet Plateau: Distribution, Variation and Possible Connection with the East Asian Summer Monsoon (EASM), *Theoretical and Applied Climatology*, 97(3-4):265-278.
275. Qin, J., K. Yang, S. L. Liang, H. Zhang, Y. M. Ma, X. F. Guo, and Z. Q. Chen, 2011: Evaluation of Surface Albedo from GEWEX-Srb and ISCCP-Fd Data against Validated MODIS Product over the Tibetan Plateau, *Journal of Geophysical Research-Atmospheres*, 116.
276. Qu, J., G. Serafino, M. Kafatos, R. Lathrop and J. Trimble, 2001: New Application of Earth Science Remote Sensing Data at NASA/GESDISC: Remote Sensing Information Partner (RSIP) with Rutgers University, *Geoscience and Remote Sensing Symposium, IGARSS '01, Institute of Electrical and Electronics Engineers (IEEE) 2001 International*, 5:2289-2291.
277. Rakwatin, P., W. Takeuchi and Y. Yoshifumi, 2009: Restoration of Aqua MODIS Band 6 Using a Histogram Matching and Local Least Squares Fitting, *IEEE Transactions on Geoscience and Remote Sensing*, 47(2):613.
278. Rani, S., 2017: Evaluating snow cover changing trends of the Western Indian Himalaya, *Spatial Information Research*, 1-10.
279. Reed, B., Budde, M., Spencer, P. and Miller, A.E., 2009: Integration of MODIS-derived Metrics to Assess Interannual Variability in Snowpack, Lake Ice, and NDVI in Southwest Alaska, *Remote Sensing of Environment*, 113:1443-1452.
280. Riggs, G.A. and Hall, D.K., 2004: Snow and Cloud Discrimination Factors in the MODIS Snow Algorithm, *IGARSS 2004: IEEE International Geoscience and Remote Sensing Symposium Proceedings, Vols 1-7 - Science for Society: Exploring and Managing a Changing Planet*, 3714-3716.
281. Riggs, G.A. and D.K. Hall, 2003: Reduction of Cloud Obscuration in the MODIS Snow Data Product, *Proceedings of the 60th Eastern Snow Conference*, 4-6 June 2003, Sherbrooke, Quebec, Canada, 81-84.
282. Riggs, G.A. and D.K. Hall, 2004: Snow Mapping with the MODIS Aqua Instrument, *Proceedings of the 62nd Eastern Snow Conference*, Portland, Maine, 81-84.
283. Riggs, G.A., D.K. Hall and V.V. Salomonson, 2006: *MODIS Snow Products User Guide to Collection 5*. https://nsidc.org/data/docs/daac/modis_v5/dorothy_snow_doc.pdf.
284. Riggs, G.A., N. DiGirolamo and D.K. Hall, 2005: Comparison of MODIS Daily Global Fractional Snow Cover Maps at 0.05 and 0.25 Degree Resolutions, *Proceedings of the 62nd Eastern Snow Conference*, 7-10 June 2005, Waterloo, ON, Canada.
285. Riggs, G.A., N. DiGirolamo and D.K. Hall, 2005: Comparison of MODIS Daily Fractional Snow-Cover Maps at 0.5- and 0.25- Degree Resolutions, *62nd Eastern Snow Conference Proceedings*, 21-28.
286. Riggs, G.A. and D.K. Hall, 2010: MODIS Snow and Ice Products – Assessment and Applications, *NASA's Earth Observing System and the Science of ASTER*, B. Ramachandran (ed.), Springer-Verlag.

287. Riggs, G.A. and D.K. Hall, 2012: Improved snow mapping accuracy with revised MODIS snow algorithm, *Proceedings of the 69th Annual Eastern Snow Conference*, 5-7 June 2012, YMCA Frost Valley, Claryville, NY.
288. Riggs, G.A., D.K. Hall and M. Román, 2016: MODIS snow products user guide for Collection 6 (C6) [<https://modis-snow-ice.gsfc.nasa.gov/?c=userguides>].
289. Riggs, G.A., D.K. Hall and M. Román, 2016: VIIRS snow products user guide for Collection 1 (C1) [<https://modis-snow-ice.gsfc.nasa.gov/?c=userguides>].
290. Riggs, G.A., D.K. Hall, and M.O. Román, 2016: VIIRS Snow Cover Algorithm Theoretical Basis Document (ATBD), NASA VIIRS project document [<https://modis-snow-ice.gsfc.nasa.gov/?c=atbd&t=atbd>].
291. Riggs, G.A., D.K. Hall and M. Román, 2017: Overview of NASA's MODIS and Visible Infrared Imaging Radiometer Suite (VIIRS) snow-cover Earth System Data Records, *Earth Syst. Science Data*, 9:1-13, <https://www.earth-syst-sci-data-discuss.net/essd-2017-25/>.
292. Riihelä, A., T. Manninen, J. Key, Q. Sun, M. Sütterlin, A. Lattanzio, and C. Schaaf, 2018: A Multisensor Approach to Global Retrievals of Land Surface Albedo, *Remote Sensing*, 10(6):848, <https://doi.org/10.3390/rs10060848>.
293. Rodell, M. and P.R. Houser, 2004: Updating a Land Surface Model with MODIS Derived Snow Cover, *Journal of Hydrometeorology*, 5(6):1064-1075.
294. Rondeau-Genesse, Gabriel, Mélanie Trudel, and Robert Leconte, 2016: Monitoring snow wetness in an Alpine Basin using combined C-band SAR and MODIS data, *Remote Sensing of Environment*, 183:304-317.
295. Saavedra, F.A., S.K. Kampf, S.R. Fassnacht and J.S. Sibold, 2016/17: A snow climatology of the Andes Mountains from MODIS snow cover data, *International Journal of Climatology*, 37(3):1526-1539.
296. Ropelewski, C.F., 1991: Real-time climate monitoring of global snow cover, *Palaeogeography, Palaeoclimatology, Palaeoecology (Global and Planetary Change Section)*, 90:225-229.
297. Ryan, J.C., A. Hubbard, T.D. Irvine-Fynn, S.H. Doyle, J.M. Cook, M. Stibal, and J.E. Box, 2017: How robust are in-situ observations for validating satellite-derived albedo over the dark zone of the Greenland Ice Sheet? *Geophysical Research Letters*, 44:6218-6225.
298. Ryan, J.C., A. Hubbard, M. Stibal, T.D. Irvine-Fynn, J. Cook, L.C. Smith, K. Cameron and J. Box, 2018: Dark zone of the Greenland Ice Sheet controlled by distributed biologically-active impurities, *Nature Communications*, doi:10.1038/s41467-018-03353-2 <https://www.nature.com/articles/s41467-018-03353-2>.
299. Saavedra, F. A., Kampf, S. K., Fassnacht, S. R., and Sibold, J. S, 2018.: Changes in Andes snow cover from MODIS data, 2000–2016, *The Cryosphere*, 12, 1027-1046, <https://doi.org/10.5194/tc-12-1027-2018>.
300. Salminen, M., J. Pulliainen, S. Metsamäki, K. Böttcher and K. Heinilä, 2013: MODIS-derived snow-free ground reflectance statistics of selected Eurasian non-forested land cover types for the application of estimating fractional snow cover, *Rem. Sens. Environ.*, 138:51-64.
301. Salomonson, V.V., and Mao, J.P., 2004: A sensitivity analysis of the MODIS normalized difference snow index, *IGARSS 2004: IEEE International Geoscience and Remote Sensing*

Symposium Proceedings, Vols. 1-7 - Science for Society: Exploring and Managing a Changing Planet, pp.3717-3720.

302. Salomonson, V.V. and I. Appel, 2004: Estimating Fractional Snow Cover from MODIS Using the Normalized Difference Snow Index, *Remote Sensing of Environment*, 89(3):351-360, <https://doi:10.1016/j.rse.2003.10.016>.
303. Salomonson, V.V. and I. Appel, 2006: Development of the Aqua MODIS NDSI Fractional Snow Cover Algorithm and Validation Results, *IEEE Transactions on Geoscience and Remote Sensing*, 44(7):1747-1756.
304. Scambos, T.A., T.M. Haran, M.A. Fahnestock, T.H. Painter and J. Bohlander, 2007: MODIS-Based Mosaic of Antarctica (MOA) Data Sets: Continent-Wide Surface Morphology and Snow Grain Size, *Remote Sensing of Environment*, 111(2-3):242-257, <https://doi:10.1016/j.rse.2006.12.020>.
305. Scharfen, G.R., D.K. Hall, S.J.S. Khalsa, J.D. Wolfe, M.C. Marquis, G.A. Riggs and B. McLean, 2000: Accessing the MODIS Snow and Ice Products at the NSIDC DAAC, In: Stein, T.I. (ed.), *IGARSS 2000: Proc. IEEE 2000 International Geoscience and Remote Sensing Symposium*, Vol. I - VI, Proceedings, pp. 2059-2061.
306. Scharfen, G. and S. Khalsa, 2002: Assessing the Utility of MODIS for Monitoring Snow and Sea Ice Extent, *Observing Our Cryosphere from Space: Techniques and Methods for Monitoring for Snow and Ice with Regard to Climate Change*, 122-127.
307. Scharfen, G. and A. Varani, 2000: Searching for NOAA Data: Empowering Users and Streamlining Information Access, *Earth System Monitor*, 10(4):1-16.
308. Scharfen, G.R., D.K. Hall, S.J.S. Khalsa, J.D. Wolfe, M.C. Marquis, G.A. Riggs and B. McLean, 2000: Accessing the MODIS Snow and Ice Products at the NSIDC DAAC, *Geoscience and Remote Sensing Symposium, 2000, IGARSS 2000, Institute of Electrical and Electronics Engineers (IEEE) International Conference*, 2059-2061.
309. Sensoy, A. and G. Uysal, 2012: The value of snow depletion forecasting methods towards operational snowmelt runoff estimation using MODIS and numerical weather prediction data, *Water Resources Management*, 26(12), <https://doi:10.1007/s11269-012-0079-0>.
310. Serreze, M.C. and R.G. Barry, 2000: Atmospheric Components of the Arctic Ocean Hydrologic Budget Assessed from Rawinsonde Data, *NATO Science Series, 2: Environmental Security*, 70:141-161.
311. Shamir, E. and Georgakakos, K.P., 2006: Distributed Snow Accumulation and Ablation Modeling in the American River Basin. *Advances in Water Resources*, 29:558-570.
312. Shamir, E. and K.P. Georgakakos, 2006: Distributed Snow Accumulation and Ablation Modeling in the American River Basin, *Advances in Water Resources*, 29: 558-570, <https://doi:10.1016/j.advwatres.2005.06.010>.
313. Shamir, E., Georgakakos, K.P., 2014: MODIS Land Surface Temperature as an index of surface air temperature for operational snowpack estimation, *RSE*, 152: 83–98.
314. Sharp, M., D.O. Burgess, J. G. Cogley, M. Ecclestone, C. Labine and G.J. Wolken, 2011: Extreme melt on Canada's Arctic ice caps in the 21st century, *Geophys. Res. Lett.*, 38(11):L11501, <http://doi:10.1029/2011GL047381>.

315. Shea, J.M., B. Menounos, R.D. Moore and C. Tennant, 2012: Regional estimates of glacier mass change from MODIS-derived equilibrium line altitudes, *The Cryosphere*, 7:667–680, <https://doi:10.5194/tc-7-667-2013>.
316. Shimamura, Y. , T. Izumi and H. Matsuyama, 2006: Evaluation of a useful method to identify snowcovered areas under vegetation - comparisons among a newly proposed snow index, normalized difference snow index, and visible reflectance, *International Journal of Remote Sensing*, 27(21):4867 - 4884, <https://doi.org/10.1080/01431160600639693>.
317. Shirui, H., L. Jiang, J. Shi, G. Wang and X. Liu, 2018: Assessment of MODIS-Based Fractional Snow Cover Products Over the Tibetan Plateau, *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*.
318. Shrestha, M., L. Wang, T. Koike, Y. K. Xue, and Y. Hirabayashi, 2012: Modeling the Spatial Distribution of Snow Cover in the Dudhkoshi Region of the Nepal Himalayas, *Journal of Hydrometeorology*, 13(1):204-222.
319. Simic, A., Fernandes, R., Brown, R., Romanov, P., Park, W., Hall, D.K. and Ca, A., 2003: Validation of MODIS, VEGETATION, and GOES plus SSM/I Snow Cover Products over Canada Based on Surface Snow Depth Observations, *IGARSS 2003: IEEE International Geoscience and Remote Sensing Symposium, Vols I - VII, Proceedings – Learning from Earth's Shapes and Sizes*, 836-838.
320. Simic, A., R. Fernandes, R. Brown, P. Romanov and W. Park, 2004: Validation of VEGETATION, MODIS and GOES+SSM/I Snow-Cover Products Over Canada Based on Surface Snow Depth Observations, *Hydrological Processes*, 18(6):1089-1104, <https://doi:10.1002/hyp.5509>.
321. Singh, Dhiraj Kumar, Hemendra Singh Gusain, Varunendra Mishra, and Neena Gupta, 2018: Snow cover variability in North-West Himalaya during last decade, *Arabian Journal of Geosciences* 11(19):579.
322. Sirguey, P., R. Mathieu, Y. Arnaud, M. Khan and J. Chanussot, 2008: Improving MODIS spatial resolution for snow mapping using wavelet fusion and ARSIS concept, *IEEE Geoscience and Remote Sensing Letters*, 5:78-82.
323. Sirguey, P., R. Mathieu and Y. Arnaud, 2009: Subpixel Monitoring of the Seasonal Snow Cover with MODIS at 250m Spatial Resolution in the Southern Alps of New Zealand: Methodology and Accuracy Assessment, *Remote Sensing of Environment*, 113(1):160-180, <https://doi:10.1016/j.rse.2008.09.008>.
324. Slater, A.G., M.P. Clark and A.P. Barrett, 2009: Comment on “Estimating the distribution of snow water equivalent using remotely sensed snow cover data and a spatially distributed snowmelt model: A multi-resolution, multi-sensor comparison” [by Noah P. Molotch and Steven A. Margulis, *Adv. Water Resour.*, 31:1503–1514] *Adv. Water Resour.*, 32:1680–1684.
325. Slater, A. G., A.P. Barrett, M.P. Clark, J.D. Lundquist, and M.S. Raleigh, 2012: Uncertainty in seasonal snow reconstruction: Relative impacts of model forcing and image availability, *Advances in Water Resources*, <https://doi:10.1016/j.advwatres.2012.07.006>.
326. Snapir, B., A. Momblanch, S. K. Jain, T. W. Waive, and I. P. Holman, 2018: A method for monthly mapping of wet and dry snow using Sentinel-1 and MODIS: Application to a Himalayan river basin, *International Journal of Applied Earth Observation and Geoinformation* 74:222-230.
327. Sorman, A.U., Akyurek, Z., Sensoy, A., Sorman, A.A. and Tekeli, A.E., 2007: Commentary on

- Comparison of MODIS Snow Cover and Albedo Products with Ground Observations Over the Mountainous Terrain of Turkey, *Hydrology and Earth System Sciences*, 11(4):1353-1360.
328. Sorman, A. A., et al. 2009. Modeling and Forecasting Snowmelt Runoff Process using the HBV Model in the Eastern Part of Turkey, *Hydrological Processes* 23(7):1031-1040.
329. Sproles, E., R. Crumley, A. Nolin, E. Mar, and J. Lopez Moreno, 2018: SnowCloudHydro—A New Framework for Forecasting Streamflow in Snowy, Data-Scarce Regions, *Remote Sensing* 10(8):1276.
330. Steele, C., J. Dialesandro, D. James, E. Elias, A. Rango and M. Bleiweiss, 2017: Evaluating MODIS snow products for modelling snowmelt runoff: case study of the Rio Grande headwaters, *International Journal of Applied Earth Observation and Geoinformation*, 63:234-243.
331. Stehr, A., Debels, P., Arumi, J.L., Romero, F. and Alcayaga, H., 2009: Combining the Soil and Water Assessment Tool (SWAT) and MODIS Imagery To Estimate Monthly Flows in a Data-Scarce Chilean Andean Basin, *Hydrological Sciences Journal-Journal Des Sciences Hydrologiques*, 54:1053-1067.
332. Stroeve, J.C., Box, J.E. and Haran, T., 2006: Evaluation of the MODIS (MOD10A1) Daily Snow Albedo Product over the Greenland Ice Sheet, *Remote Sensing of Environment*, 105:155-171.
333. Su, H., Z.-L. Yang, G.-Y. Niu, and R. E. Dickinson, 2008: Enhancing the Estimation of Continental-Scale Snow Water Equivalent by Assimilating MODIS Snow Cover with the Ensemble Kalman Filter, *Journal of Geophysical Research, Atmospheres*, 113(D8) D08120, <https://doi.org/10.1029/2007JD009232>.
334. Su, H., Z.-L. Yang, R. E. Dickinson, C. R. Wilson, and G.-Y. Niu, 2010: Multisensor snow data assimilation at the continental scale: The value of Gravity Recovery and Climate Experiment terrestrial water storage information, *JGR*, 115, D10104, doi:10.1029/2009JD013035, (see <https://www.geo.utexas.edu/climate/Research/Reprints/2009JD013035.pdf>).
335. Sugg, J.W., L.B. Perry, and D.K. Hall, 2012: Satellite and Surface Perspectives of Snow Extent in the Southern Appalachian Mountains, *Proceedings of the 69th Annual Eastern Snow Conference*, 5-7 June 2012, YMCA Frost Valley, Claryville, NY.
336. Sugg, J.W., L.B. Perry, D.K. Hall, G.A. Riggs, 2014: Satellite perspectives on the spatial patterns of new snowfall in the Southern Appalachian Mountains, *Hydrological Processes*, 28:4602-4613, <https://doi.org/10.1002/hyp.10196>.
337. Sugg, J., C.M. Fuhrmann, L.B. Perry and D.K. Hall and C.E. Konrad II, 2016: Sub-regional snow cover distribution across the Southern Appalachian Mountains, *Physical Geography*, doi:10.1080/02723646.2016.1162020.
338. Svoma, B. M., 2011: El Nino-Southern Oscillation and Snow Level in the Western United States, *Journal of Geophysical Research-Atmospheres*, 116.
339. Tait, A., Barton, J. and Hall, D.K., 2001: A Prototype MODIS-SSM/I Snow Mapping Method. In: Owe, M., Braubaker, K., Ritchie, J. and Rango, A. (eds.), *Remote Sensing and Hydrology 2000*, 139-141.
340. Tait, A.B., J.S. Barton and D.K. Hall, 2001: A Prototype MODIS-SSM/I Snow-Mapping Algorithm, *International Journal of Remote Sensing*, 22:3275-3284.

341. Takala, M. and 7 others: 2011: Estimating northern hemisphere snow water equivalent for climate research through assimilation of space-borne radiometer data and ground-based measurements, *Remote Sensing of Environment*, <https://doi:10.1016/j.rse.2011.08.014>.
342. Tang, Q. and Dennis P. Lettenmaier, 2010: Use of satellite snow-cover data for streamflow prediction in the Feather River Basin, California, *International Journal of Remote Sensing*, 31(14):3745-3762.
343. Tang, B.H., B. Shrestha, Z.L. Li, G. Liu, H. Ouyang, D.R. Gurung, A. Giriraj and K.S. Aung, 2012: Determination of snow cover from MODIS data for the Tibetan Plateau region, *International Journal of Applied Earth Observations and Geoinformation*, 21:356-365.
344. Tang, Z., J. Wang, H. Li and L. Yan, 2013: Saptiotemporal changes of snow cover over the Tibetan Plateau based on cloud-removed moderate resolution imaging Spectroradiometer fractional snow cover product from 2001 to 2011, *Journal of Applied Remote Sensing*, <https://doi:10.1117/I.JRS.7.073582>.
345. Tedesco, M. and Miller, J., 2007: Northern Hemisphere Snow-Covered Area Mapping: Optical Versus Active and Passive Microwave Data, *IEEE Geoscience and Remote Sensing Letters*, 4:221-225.
346. Tedesco, M., X. Fettweis, T. Mote, J. Wahr, P. Alexander, J. Box, and B. Wouters, 2012: Evidence and analysis of 2012 Greenland records from spaceborne observations, a regional climate model and reanalysis data, *The Cryosphere Discuss.*, 6:4939-4976, <https://doi:10.5194/tcd-6-4939-2012>.
347. Tekeli, A.E., Akyurek, Z., Sorman, A.A., Sensoy, A. and Sorman, A.U., 2005: Using MODIS Snow Cover Maps in Modeling Snowmelt Runoff Process in the Eastern Part of Turkey, *Remote Sensing of Environment* 97(2):216-230.
348. Tekeli, A.E., Akyurek, Z., Sorman, A.A., Sensoy, A. and Sorman, A.U., 2006: Accuracy Assessment of MODIS Daily Snow Albedo Retrievals with In Situ Measurements in Karasu Basin, Turkey, *Hydrological Processes*, 20(4):705-721, <https://doi:10.1002/hyp.6114>.
349. Tekeli, Y., and A. E. Tekeli, 2012: A Technique for Improving MODIS Standard Snow Products for Snow Cover Monitoring over Eastern Turkey, *Arabian Journal of Geosciences* 5(2):353-63.
350. Tekeli, Ahmet Emre, 2018: Augmenting in situ lake level measurements with Earth observation satellites, *Teknik Dergi* 29(6).
351. Theakstone, W.H., 2011: A seven-year study of oxygen isotopes in daily precipitation at a site close to the Arctic Circle, Tustervatn, Norway: Trajectory analysis and links with the North Atlantic Oscillation, *Atmospheric Environment*, 45(29):5101–5109.
352. Thompson, J.A., D.J. Paull, B.G. Lees, 2015: An improved liberal 1 cloud-mask for addressing snow/cloud confusion with MODIS, *Photogramm Eng. Rem. Sens.*, 81:19-29.
353. Thompson, J. A. and Lees, B.G., 2014: Applying object-based segmentation in the temporal domain to characterise snow seasonality, *ISPRS Journal of Photogrammetry and Remote Sensing*, 97:98-110.
354. Thompson, J.A., 2016: A MODIS-derived snow climatology (2000-2014) for the Australian Alps, *Climate Research* 68(1):25-38.
355. Tian, G.L., Xiao, D.H., Cai, X.W., Xing, Y.L., Wen, L.L., Zheng, G.G. and Ji, Z.R., 2008: An

- Application of MODIS Data to Snow Cover Monitoring in a Pastoral Area: A Case Study in Northern Xinjiang, China, *Remote Sensing of Environment*, 112:1514-1526.
356. Tilton, J.C., Lawrence, W.T. and Plaza, A.J., 2006: Utilizing Hierarchical Segmentation to Generate Water and Snow Masks to Facilitate Monitoring change with remotely sensed image data, *GIScience and Remote Sensing*, 43:39-66.
357. Toure, A.M., R.H. Reichle, B.A. Forman, A. Getirana, and G.J.M. De Lannoy, 2018: Assimilation of MODIS Snow Cover Fraction Observations into the NASA Catchment Land Surface Model, *Remote Sensing* 10(2):316.
358. Tran, H., P. Nguyen, M. Ombadi, K. Hsu, S. Sorooshian and X. Qing, A cloud-free MODIS snow cover dataset for the contiguous United States from 2000 to 2017, *Scientific Data*, 6:180300, <https://doi:10.1038/sdata.2018.300>.
359. Rommweck, H., 2005: Estimation of carrying capacity for wild reindeer in Norway by means of the Normalised Difference Snow Index (NDSI), *Proc. of SPIE*, Vol. 5976, doi:10.1117/12.627772.
360. Tong, J., Dery, S.J. and Jackson, P.L., 2009: Interrelationships Between MODIS/Terra Remotely Sensed Snow Cover and the Hydrometeorology of the Quesnel River Basin, British Columbia, Canada, *Hydrology and Earth System Sciences*, 13:1439-1452.
361. Tong, J., Dery, S.J. and Jackson, P.L., 2009: Topographic Control of Snow Distribution in an Alpine Watershed of Western Canada Inferred from Spatially-filtered MODIS Snow Products, *Hydrology and Earth System Sciences*, 13:319-326.
362. Tong, J. and I. Velicogna, 2010: A comparison of AMSR-E Aqua snow products with *in situ* observations and MODIS snow cover products in the Mackenzie River Basin, Canada, *Remote Sensing*, 2:2313-2322, <https://doi:10.3390/rs2102313>.
363. Toure, Ally M., et al. 2016: Evaluation of the Snow Simulations from the Community Land Model, Version 4 (CLM4). *Journal of Hydrometeorology*, 17(1):153–170. doi: <http://dx.doi.org/10.1175/JHM-D-14-0165.1>.
364. Treppe, Q., P. Minnis and R. Arduini, 2002: Daytime and Night-time Polar Cloud and Snow Identification Using MODIS Data, *Proceedings of SPIE 3rd International Asia-Pacific Environmental Remote Sensing Symposium*.
365. Wang, J. and Li, W., 2003: Comparison of Methods of Snow Cover Mapping by Analyzing the Solar Spectrum of Satellite Remote Sensing Data in China, *International Journal of Remote Sensing*, 24:4129-4136.
366. van As, D., A. L. Hubbard, B. Hasholt, A. B. Mikkelsen, M. R. van den Broeke, and R. S. Fausto, 2012: Large Surface Meltwater Discharge from the Kangerlussuaq Sector of the Greenland Ice Sheet During the Record-Warm Year 2010 Explained by Detailed Energy Balance Observations, *The Cryosphere* 6(1):199-209.
367. van Lerber, A., M. Makynen, M. Simila, P. Sievinen and M.T. Hallikainen, 2012: Thin sea ice identification in the Kara Sea using AMSR-E data, *Proc. of IGARSS*, 4477- 4480.
368. Viviroli, D., .R. Archer, W. Buytaert, H.J. Fowler, G.B. Greenwood, A.F. Hamlet, Y. Huang, G. Koboltschnig, M.I. Litaor, J.I. López-Moreno, S. Lorentz, B. Schädler, H. Schreier, K. Schwaiger, M. Vuille, and R. Woods, 2011: Climate change and mountain water resources: overview and recommendations for research, management and policy, *Hydrol. Earth Syst. Sci.*, 15:471-504, <https://doi:10.5194/hess-15-471-2011>.

369. Wang, X., and C. S. Zender, 2010: Constraining MODIS snow albedo at large solar zenith angles: Implications for the surface energy budget in Greenland, *J. Geophys. Res.*, 115, F04015, <https://doi:10.1029/2009JF001436>.
370. Wang, G., L. Jiang, S. Wu, J. Shi, S. Hao and X. Liu, 2017: Fractional snow cover mapping from FY-2 VISSR imagery of China, *Remote Sensing*, 983, <https://doi:10.3390/rs9100983>.
371. Wang, L., J.J. Qu, J. Xiong, H. Xianjun, X. Yong and C. Nianzeng, 2006: A Preliminary Study of Aqua/MODIS Snow Coverage Continuity with Simulated Band 6, *Remote Sensing and Modeling of Ecosystems for Sustainability III*, edited by Wei Gao, Susan L. Ustin, *Proc. of SPIE* Vol. 6298, 62981A-1, <https://doi:10.1117/12.680953>.
372. Wang, L., J.J. Qu, X. Xiaoxiong and X. Xiong, 2006: A New Method for Retrieving Band 6 of Aqua MODIS, *IEEE Geoscience and Remote Sensing Letters*, 3(2):267.
373. Wang, L., X. Xiaoxiong, J.J. Qu, X. Yong, H. Xianjun and C. Nianzeng, 2007: Impact assessment of Aqua MODIS band-to-band misregistration on snow index, *Journal of Applied Remote Sensing*, Vol. 1, 013531 (30 August 2007).
- Wang, L., F. Zhang, H. Zhang, C. Scott, C. Zeng and X. Shi, 2017: Intensive precipitation observation greatly improves hydrological modelling of the poorly gauged high mountain Mabengnong catchment in the Tibetan Plateau, *Journal of Hydrology*, <https://doi.org/10.1016/j.jhydrol.2017.11.039>.
374. Wang, X.W. and H.J. Xie, 2009: New Methods for Studying the Spatiotemporal Variation of Snow Cover Based on Combination Products of MODIS Terra and Aqua, *Journal of Hydrology*, 371:192-200.
375. Wang, X.W., Xie, H.J., Liang, T.G. and Huang, X.D., 2009: Comparison and Validation of MODIS Standard and New Combination of Terra and Aqua Snow Cover Products in Northern Xinjiang, China, *Hydrological Processes*, 23:419-429.
376. Wang, X., H. Xie, T. Liang and X. He, 2008: Evaluation of MODIS Snow Cover and Cloud Mask and its Application in Northern Xinjiang, China, *Remote Sensing of Environment*, 112(4):1497-1513, <https://doi:10.1016/j.rse.2007.05.016>.
377. Wang, X., H. Zheng, Y. Chen, H. Liu, L. Liu, H. Huang and K. Liu, 2014: Mapping snow cover variations using a MODIS daily cloud-free snow cover product in northeast China, *Journal of Applied Remote Sensing*, 8, <https://doi:10.1117/l.JRS.8.084.681>.
378. Wang, X., C. Wu, H. Wang, A. Gonsamo and Z. Liu, 2017: No evidence of widespread decline of snow cover on the Tibetan Plateau over 2000 – 2015, *Scientific Reports*, <https://doi:10.1038/s41598-017-15208-9>.
379. Wilson, A.C., 2018: Assessing the role of snow cover for regenerating forests over post-wildfire landscapes in the Pacific Northwest, Master of Science thesis, Department of Geography, Oregon State University, 95 pp.
380. Winther, J. G. and D. K. Hall, 1999: Satellite-derived Snow Coverage Related to Hydropower Production in Norway: Present and Future, *International Journal of Remote Sensing*, 20(15-16):2991-3008.
381. Xia, Q., X. Gao, W. Chu, and S. Sorooshian, 2012: Estimation of daily cloud-free, snow-covered areas from MODIS based on variational interpolation, *Water Resour. Res.*, 48, W09523, <https://doi:10.1029/2011WR011072>.

382. Xie, H.J., Wang, X.W. and Liang, T.G., 2009: Development and Assessment of Combined Terra and Aqua Snow Cover Products in Colorado Plateau, USA and Northern Xinjiang, China. *Journal of Applied Remote Sensing*, 3, <https://doi:10.1117/1.3265996>.
383. Xin, Q. C., C. E. Woodcock, J. C. Liu, B. Tan, R. A. Melloh, and R. E. Davis, 2012: View Angle Effects on MODIS Snow Mapping in Forests, *Remote Sensing of Environment*, 118:50-59.
384. Xu, J. and H. Shu, 2014: Assimilating MODIS-based albedo and snow cover fraction into the Common Land Model to improve snow depth simulation with direct insertion and deterministic ensemble Kalman filter methods. *Journal of Geophysical Research – Atmospheres*, 119(18): 10684-10701, <https://dx.doi.org/10.1002/2014JD022012>.
385. Xu, W., H. Ma, D. Wu, and W. Yuan, 2017: Assessment of the Daily Cloud-Free MODIS Snow-Cover Product for Monitoring the Snow-Cover Phenology over the Qinghai-Tibetan Plateau, *Remote Sensing* 9(6):585, <https://doi:10.3390/rs9060585>.
386. Xu, Z., A.M. Rhoades, H. Johansen, P.A. Ullrich, and W.D. Collins, 2018: An intercomparison of GCM and RCM dynamical downscaling for characterizing the hydroclimatology of California and Nevada, *Journal of Hydrometeorology*, <https://doi.org/10.1175/JHM-D-17-0181.1>.
387. Yang, J., L. Jiang, J. Shi, S. Wu, R. Sun and H. Yang, 2014: Monitoring snow cover using Chinese meteorological satellite data over China, *Remote Sensing of Environment*, 143:192-203.
388. Yang, Q. and S. Wdowinski, 2013: Annual variation of coastal uplift in Greenland as an indicator of variable and accelerating ice mass loss, *Geochemistry, Geophysics, Geosystems*, 14(5):1569–1589.
389. Yang, J., L. Jiang, K. Luojus, J. Lemmetyinen and J. Pulliainen, 2015: Evaluation of snow products over the Tibetan Plateau, *Hydrological Processes*, 29:3247-3260.
390. Yatheendradas, S., C.D. Peters-Lidard, V. Koren, B.A. Cosgrovec, Luis G.G. De Goncalves, M. Smith, J. Geiger, Z. Cuic, J. Borak, S.V., Kumar, D.L. Toll, G. Riggs, and N. Mizukami, 2012: Distributed assimilation of satellite-based snow extent for improving simulated streamflow in mountainous, dense forests: an example over the DMIP2 western basins, *Water Resources Research*, 48, W09557, <https://doi:10.1029/2011WR011347>.
391. Yu, J., G. Zhang, T. Yao, H. Xie, H. Zhang, C. Ke and R. Yao, 2016: Developing daily cloud-free snow composite products from MODIS Terra-Aqua and IMS for the Tibetan Plateau, *IEEE Trans. on Geosci. And Remote Sensing*, 54(4):2171- 2180.
392. Zaitchik, B.F. and Rodell, M., 2009: Forward-Looking Assimilation of MODIS-Derived Snow-Covered Area into a Land Surface Model, *Journal of Hydrometeorology*, 10:130-148.
393. Zhang, X.T., X. D. Huang, T.G. Liang and Q.G. Chen, 2008: Accuracy analysis for MODIS snow data of MOD10A1 in a pastoral area in Northern Xinjiang, *Acta Prataculturae Sin*, 17(2):110-117.
394. Zhang, Y., H. Fu and E. Dai, 2011: Snow monitoring of Xinjiang using MODIS data, *Geoinformatics*, 24-26 June 2011, <https://doi:10.1109/Geoinformatics.2011.5980896>.
395. Zhang, G., H. Xie, T. Yao, T. Liang, and S. Kang, 2012: Snow cover dynamics of four lake basins over Tibetan Plateau using time series MODIS data (2001–2010), *Water Resources Research*, 48, <https://doi:10.1029/2012WR011971>.

396. Zhang, Y.-F., T. J. Hoar, Z.-L. Yang, J. L. Anderson, A. M. Toure, and M. Rodell, 2014: Assimilation of MODIS snow cover through the Data Assimilation Research Testbed and the Community Land Model version 4, *J. Geophys. Res. Atmos.*, 119:7091–7103, [https://doi:10.1002/2013JD021329](https://doi.org/10.1002/2013JD021329).
397. Zhang, H., Fan Zhang, Guoqing Zhang, Tao Che, Wei Yan, Ming Ye, and Ning Ma, 2018: Ground-based evaluation of MODIS snow cover product V6 across China: Implications for the selection of NDSI threshold, *Science of The Total Environment*, <https://doi.org/10.1016/j.scitotenv.2018.10.128>.
398. Zhao, H.X. and Fernandes, R., 2009: Daily Snow Cover Estimation from Advanced Very High Resolution Radiometer Polar Pathfinder data over Northern Hemisphere Land Surfaces During 1982-2004, *Journal of Geophysical Research-Atmospheres*, 114.
399. Zhao, L., and Z.-L. Yang, 2018: Multi-sensor land data assimilation: Toward a robust global soil moisture and snow estimation, *Remote Sensing of Environment* 216:13-27.
400. Zhou X.B., H.J. Xie and J.M.H. Hendrickx, 2005: Statistical Evaluation of Remotely Sensed Snow-Cover Products with Constraints from Streamflow and SNOTEL Measurements, *Remote Sensing of the Environment*, 94(2):214-231.
401. Zhu, Z., S. Wang and C.E. Woodcock, 2015: Improvement and expansion of the Fmask algorithm: cloud, cloud shadow, and snow detection for Landsats 4 – 7, 8, and Sentinel 2 images, *Remote Sensing of Environment*, 159:269-277, <https://dx.doi.org/10.1016/j.rse.2014.12.014>.
402. Zheng, W., Du, J., Zhou, X., M Song, G Bian, S Xie and X Feng, 2017: Vertical distribution of snow cover and its relation to temperature over the Manasi River Basin of Tianshan Mountains, Northwest China, *J. Geogr. Sci.*, 27: 403, [https://doi:10.1007/s11442-017-1384-6](https://doi.org/10.1007/s11442-017-1384-6).
403. Zhu, L., V.C. Radeloff and A.R. Ives, 2017: Characterizing global patterns of frozen ground with and without snow cover using microwave and MODIS satellite data products, *RSE*, 191:168-178, <https://dx.doi.org/10.1016/j.rse.2017.01.020>.

Papers that use the MOD/MYD29 Sea Ice Extent or Ice-Surface Temperature (IST) Products

1. Adams, S., Willmes, S., Schroder, D., Heinemann, G., Krumpen, T., 2012: Daily thin-ice thickness maps from MODIS thermal infrared imagery, *IEEE Transactions on Geoscience and Remote Sensing*.
2. Adams, S., S. Willmes, D. Schroder, G. Heinemann, M. Bauer and T. Krumpen, 2013: Improvement and sensitivity analysis of thermal thin-ice thickness retrievals, *Geoscience and Remote Sensing, IEEE Transactions on Geoscience and Remote Sensing*, 51(6):3306 – 3318.
3. Adolph, A., M. Albert and D.K. Hall, 2018: Near-surface thermal stratification during summer at Summit, Greenland, and its relation to MODIS-derived surface temperatures, *The Cryosphere*, <https://doi.org/10.5194/tc-2017-195>.
4. Aulicino, G., M. Sansiviero, S. Paul, C. Cesarano, G. Fusco, P. Wadhams, G. Budillon, 2018: A New Approach for Monitoring the Terra Nova Bay Polynya through MODIS Ice Surface Temperature Imagery and Its Validation during 2010 and 2011 Winter Seasons, *Remote Sensing*, 10:366.
5. Banwell, A.F., Willis, I.C., Arnold, N.S., Tedesco, M., Ahlstrøm, A.P., 2012: Calibration and evaluation of a high-resolution surface mass-balance model for Paakitsoq, West Greenland, *Journal of Glaciology*, 58(212):1047-1062.
6. Bartholomew, I.D., Nienow, P., Sole, A., King, M.A., Palmer, S., 2011: Seasonal variations in Greenland Ice Sheet motion: Inland extent and behaviour at higher elevations, *Earth and Planetary Science Letters*, 307(3–4):271–278.
7. Box, J. E., Fettweis, X., Stroeve, J. C., Tedesco, M., Hall, D. K., and Steffen, K., 2012: Greenland ice sheet albedo feedback: thermodynamics and atmospheric drivers, *The Cryosphere*, 6:821-839, <https://doi:10.5194/tc-6-821-2012>.
8. Brown, I.C. and T.A. Scambos, 2004: Satellite Monitoring of Blue-Ice Extent near Byrd Glacier, Antarctica, *Annals of Glaciology*, 39:223-230.
9. Brucker, L., E.P. Dinnat, and L.S. Koenig, 2014: Weekly gridded Aquarius L-band radiometer/scatterometer observations and salinity retrievals over the polar regions – Part 2: Initial product analysis, *The Cryosphere*, 8:915-930, <https://doi:10.5194/tc-8-915-2014>.
10. Cavalieri, D.J., T. Markus, D.K. Hall, A.J. Gasiewski, M. Klein and A. Ivanoff, 2006: Assessment of EOS aqua AMSR-E Arctic Sea Ice Concentrations Using Landsat-7 and Airborne Microwave Imagery, *IEEE Transactions on Geoscience and Remote Sensing*, 44:3057-3069.
11. Cavalieri, D.J., T. Markus, D.K. Hall, A. Ivanoff and E. Glick, 2010: Assessment of AMSR-E Antarctic winter sea ice concentrations using Aqua MODIS, *IEEE TGRS*, 48(9):3331-3339.
12. Chu, V. W., L.C. Smith, A.K. Rennermalm, R.R. Forster, and J.E. Box, 2012: Hydrologic controls on coastal suspended sediment plumes around the Greenland Ice Sheet, *The Cryosphere*, 6:1-19, <https://doi:10.5194/tc-6-1-2012>.

13. Chu, V.W., 2014: Greenland ice sheet hydrology: A review, *Progress in Physical Geography*, 38(1):19-54.
14. Ciappa, A. and G. Budillon, 2012: The Terra Nova Bay (Antarctica) polynya observed by MODIS ice surface temperature imagery from May to June 2009, *International Journal of Remote Sensing*, 33(14):4567-4582.
15. Ciappa, A., L. Pietranera, G. Budillon, 2012: Observations of the Terra Nova Bay (Antarctica) polynya by MODIS ice surface temperature imagery from 2005 to 2010, *Remote Sensing of Environment*, 119:158– 172.
16. Ciappa, A., L. Pietranera, 2013: High resolution observations of the Terra Nova Bay polynya using COSMO-SkyMed X-SAR and other satellite imagery, *Journal of Marine Systems*, Vol. 113–114.
17. Drüe, C. and G. Heinemann, 2005: Accuracy Assessment of Sea-Ice Concentrations from MODIS Using In-Situ Measurements, *Remote Sensing of Environment*, 95(2):139-149, <https://doi:10.1016/j.rse.2004.12.004>.
18. Dybkjær, G., R. Tonboe, and J.L. Høyer, 2012: Arctic surface temperatures from Metop AVHRR compared to in situ ocean and land data, *Ocean Sci.*, 8:959-970, doi:10.5194/os-8-959-2012.
19. Greuell, W. and J. Oerlemans, 2004: Narrowband-to-Broadband Albedo Conversion for Glacier Ice and Snow: Equations Based on Modeling and Ranges of Validity of the Equations, *Remote Sensing of the Environment*, 89(1):95-105.
20. Haibo, B., and L. Ziwei, L., 2011: Temporal mixture analysis in monitoring Antarctic sea ice concentration variability, *IEEE Electronics, Communications and Control (ICECC)*, 1696-1699.
21. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2001: Algorithm Theoretical Basis Document (ATBD) for the MODIS Snow and Sea Ice-Mapping Algorithms, <https://modis-snow-ice.gsfc.nasa.gov/atbd.html>.
22. Hall, D.K., G.A. Riggs and V.V. Salomonson, 2006: MODIS Snow and Sea Ice Products. Earth Science Satellite Remote Sensing--Volume I: Science and Instruments. Qu J editor, Springer-Verlag Press: Berlin, Heidelberg.
23. Hall, D.K., Riggs, G.A., Salomonson, V.V. and Scharfen, G.R., 2000: Early Results from the Moderate Resolution Imaging Spectroradiometer (MODIS) Global Snow and Ice Cover Products. In: Stein, T.I. (ed.), *IGARSS 2000: IEEE 2000 International Geoscience and Remote Sensing Symposium, Vol I - VI, Proceedings*, pp. 1763-1765.
24. Hall, D.K., Key, J.R., Casey, K.A., Riggs, G.A. and Cavalieri, D.J., 2004: Sea Ice Surface Temperature Product from MODIS. *IEEE Transactions on Geoscience and Remote Sensing*, 42(5):1076-1087.
25. Hall, D.K., Riggs, G.A. and Salomonson, V.V., 2006: MODIS Snow and Sea Ice Products, Earth Science Satellite Remote Sensing - Volume I: Science and Instruments, J.J. Qu, W. Gao, M. Kafatos, R.E. Murphy and V.V. Salomonson (eds.), Springer, New York, 154-181.
26. Heinrichs, J.F., D.J. Cavalieri and T. Markus, 2006: Assessment of EOS Aqua AMSR-E Arctic Sea Ice Concentrations Using Landsat-7 and Airborne Microwave Imagery, Institute of Electrical and Electronics Engineers (IEEE) *Transactions on Geoscience and Remote Sensing*, 44(11):3070-3080.

27. Herzfeld, U.C., Wallin, B.F., Leuschen, C.J., Plummer, J., 2011: An algorithm for generalizing topography to grids while preserving subscale morphologic characteristics-creating a glacier bed DEM for Jakobshavn trough as low-resolution input for dynamic ice-sheet models, *Computers and Geosciences*, 37(11):1793–1801.
28. Herzfeld, U.C., Fastook, J., Greve, R., Wallin, B.F., Chen, P.A., 2012: On the influence of Greenland outlet glacier bed topography on results from dynamic ice-sheet models, *Annals of Glaciology*, 53(60):281-293.
29. Hori, M., Aoki, T., Stamnes, K. and Li, W., 2007: ADEOS-II/GLI Snow/Ice products - Part III: Retrieved Results, *Remote Sensing of Environment*, 111:291-336.
30. Hulley, G., Veraverbeke, S., Hook, S., 2014: Thermal-based techniques for land cover change detection using a new dynamic MODIS multispectral emissivity product (MOD21), *Remote Sensing of Environment*, 140:755–765.
31. Irvine-Fynn, T. D. L., A. J. Hodson, B. J. Moorman, G. Vatne, and A. L. Hubbard, 2011: Polythermal Glacier Hydrology: A review, *Rev. Geophys.*, 49, RG4002, <https://doi:10.1029/2010RG000350>.
32. Kaleschke, L., X. Tian-Kunze, N. Maaß, M. Mäkynen, and M. Drusch, 2012: Sea ice thickness from SMOS brightness temperatures during the Arctic freeze-up period, *Geophysical Research Letters*, 39, L05501, <https://doi:10.1029/2012GL050916>.
33. Kaminski, M., M. Marquis, W.N. Meier and R. Weaver, 2004: NASA EOS Sensors Demonstrate Potential for Multiparameter Studies of Arctic Sea Ice, *Eos Transactions of the AGU*, 85(46).
34. Kang, D., Im, J., Lee, M.-I., Quackenbush, L.J., 2014: The MODIS ice surface temperature product as an indicator of sea ice minimum over the Arctic Ocean, *Remote Sensing of Environment*, 152:99–108.
35. Keegan, K.M., M.R. Albert, M.R., J.R. McConnell, I. Baker, 2014: Climate change and forest fires synergistically drive widespread melt events of the Greenland Ice Sheet, *Proceedings of the National Academy of Sciences of the United States of America*.
36. Koenig, L. S., C. Miège, R. R. Forster, and L. Brucker, 2014: Initial in situ measurements of perennial meltwater storage in the Greenland firn aquifer, *Geophys. Res. Lett.*, 41:81–85, <https://doi:10.1002/2013GL058083>.
37. Koenig, S. J., R. M. DeConto, and D. Pollard, 2014: Impact of reduced Arctic sea ice on Greenland ice sheet variability in a warmer than present climate, *Geophys. Res. Lett.*, 41:3933–3942, <https://doi:10.1002/2014GL059770>.
38. Key, J. and 9 others, 2014: Snow and ice products from Suomi NPP VIIRS, *Journal of Geophysical Research: Atmospheres*, 118(23):12,816–12,830.
39. King, M.D., S. Platnick, P. Yang, A.G. Thomas, M.A. Gray, J.C. Riedi, S.A. Ackerman and K.-N. Liou, 2004: Remote Sensing of Liquid Water and Ice Cloud Optical Thickness and Effective Radius in the Arctic: Application of Airborne Multispectral MAS Data, *Journal of Atmospheric and Oceanic Technology*, 21(6):857-875.
40. Kohnemann, S.H.E. and G. Heinemann, D.H. Bromwich and O. Gutjahr, 2017: Extreme warming in the Kara Sea and Barents Sea during the winter period 2000 – 16, *Journal of Climate*, <https://doi.org/10.1175/JCLI-D-16-0693.1>.
41. Kolberg, S., L. Gottschalk, 2010: Interannual stability of grid cell snow depletion curves as estimated from MODIS images, *Water Resources Research*, 46:1-15.

42. Lampkin, D. and U. Wade, 2013: Evaluation of a novel inversion model for surface melt magnitude over the Greenland ice sheet during the 2002 ablation season, *International Journal of Remote Sensing*, 34(19):6931-6946.
43. Langer, M., S. Westermann, M. Heikenfeld, W. Dorn, and J. Boike, 2013: Satellite-based modeling of permafrost temperatures in a tundra lowland landscape, *Remote Sensing of Environment*, 135:12–24.
44. Latifovic, R. and D. Pouliot, 2007: Analysis of Climate Change Impacts on Lake Ice Phenology in Canada Using the Historical Satellite Data Record, *Remote Sensing of Environment*, 106(4):492-507.
45. Lee, Y.-R., J.-M. Yoo, M.-J. Jeong, Y.-I. Won, T. Hearty, and D.-B. Shin, 2013: Comparison between MODIS and AIRS/AMSU satellite-derived surface skin temperatures, *Atmos. Meas. Tech.*, 6, 445-455.
46. Li, S., X. Zhou, K. Morris and M. Jeffries, 2001: The Spatial Variability of Summer Sea Ice in the Amundsen Sea Seen from MODIS, RADARSAT SCANSAR and LANDSAT 7 ETM+ Images, *Proc. IGRSS, 2001*, Sydney Australia, 9-13 July, pp. 160-162.
47. Liu, J.P. and W.C. Zhang, 2017: Long term spatio-temporal analyses of snow cover in Central Asia using ERA-Interim and MODIS products, International Symposium on Earth Observation for One Belt and One Road (EOBAR), IOP Conf. Series: Earth and Environmental Science 57, <https://doi:10.1088/1755-1315/57/1/012033>.
48. Maaß, N., L. Kaleschke, X. Tian-Kunze, and M. Drusch, 2013: Snow thickness retrieval over thick Arctic sea ice using SMOS satellite data, *The Cryosphere*, 7, 1971-1989.
49. Mäkynen, M.P., B. Cheng, M.H. Similä, T. Vihma, and M.T. Hallikainen, 2007: Comparisons Between SAR Backscattering Coefficient and Results of a Thermodynamic Snow/Ice Model for the Baltic Sea Land-Fast Sea Ice, *IEEE Transactions on Geoscience and Remote Sensing*, 45(5):1131-1141.
50. Mäkynen, M., B. Cheng and M. Similä, 2013: On the accuracy of thin-ice thickness retrieval using MODIS thermal imagery over Arctic first-year ice, *Annals of Glaciology*, 54(62), <https://doi:10.3189/2013AoG62A166>.
51. Mäkynen, M. and J. Karvonen, 2017: MODIS Sea Ice Thickness and Open Water–Sea Ice Charts over the Barents and Kara Seas for Development and Validation of Sea Ice Products from Microwave Sensor Data, *Remote Sens.*, 9:1324.
52. McCabe, M.F., Chylek, P., Dubey, M.K., 2011: Detecting ice-sheet melt area over western Greenland using MODIS and AMSR-E data for the summer periods of 2002-2006, *Remote Sensing Letters*, 2(2):117-126.
53. McGrath, D., Steffen, K., Overeem, I., Hasholt, B., Van Den Broeke, M., 2010: Sediment plumes as a proxy for local ice-sheet runoff in Kangerlussuaq Fjord, West Greenland, *Journal of Glaciology*, 56.
54. Meier, W. N., 2004: NASA EOS Sensors Demonstrate Potential for Multiparameter Studies of Arctic Sea Ice, *Eos*, 85(46):481 488-489.
55. Miliareisis, G.C., 2014: Spatiotemporal patterns of land surface temperature of Antarctica from MODIS monthly LST (MYD11C3) data, *Journal of Spatial Science*, 59(1):157-166.

56. Moustafa, S.E., A. K. Rennermalm, L. C. Smith, M. A. Miller, J. R. Mioduszewski, L.S. Koenig, M.G. Hom and C.A. Shuman, 2014: [Multi-modal albedo distributions in the ablation area of the southwestern Greenland Ice Sheet](https://doi.org/10.5194/tc-9-905-2015), *The Cryosphere*, 9:905-923, [https://doi:10.5194/tc-9-905-2015](https://doi.org/10.5194/tc-9-905-2015).
57. Navari, M., S.A. Margulis, S.M. Bateni, M. Tedesco, P. Alexander and X. Fettweis, 2016: Feasibility of improving a priori regional climate model estimates of Greenland ice sheet surface mass loss through assimilation of measured ice surface temperatures, *The Cryosphere*, 10(1):103-120.
58. Muhammad, P., Duguay, C., and Kang, K.-K., 2016: Monitoring ice break-up on the Mackenzie River using MODIS data, *The Cryosphere*, 10, 569-584, [https://doi:10.5194/tc-10-569-2016](https://doi.org/10.5194/tc-10-569-2016).
59. Nghiem, S.V., I.G. Rigor, A. Richter, J.P. Burrows, P.B. Shepson, J. Bottenheim, D.G. Barber, A. Steffen, J. Latonas, F. Wang, G. Stern, P. Clemente-Colón, S. Martin, D.K. Hall, L. Kaleschke, P. Tackett, G. Neumann, and M.G. Asplin, 2012: Field and satellite observations of the formation and distribution of Arctic atmospheric bromine above a rejuvenated sea ice cover, *JGR-Atmospheres*, 117, D00S05, [https://doi:10.1029/2011JD016268](https://doi.org/10.1029/2011JD016268).
60. Nghiem, S.V., P. Clemente-Colon, D.K. Hall and G. Neumann, 2012: Sea floor control on sea ice, *Deep Sea Research II*, 77-80:52-61, [https://doi:10.1016/j.dsr2.2012.04.004](https://doi.org/10.1016/j.dsr2.2012.04.004).
61. Nghiem, S.V., D.K. Hall, I. Rigor and G. Neumann, 2014: Impact of Mackenzie River discharge and bathymetry on sea ice in the Beaufort Sea, *GRL*, 41(3).
62. Nicolaus, M., Petrich, C., Hudson, S. R., and Granskog, M. A., 2013: Variability of light transmission through Arctic land-fast sea ice during spring, *The Cryosphere*, 7:977-986, [https://doi:10.5194/tc-7-977-2013](https://doi.org/10.5194/tc-7-977-2013)
63. Ostby, T.I., T.V. Schuler and S. Westermann, 2014: Severe cloud contamination of MODIS Land Surface Temperatures over an Arctic ice cap, Svalbard, *Remote Sensing of Environment*, 142:95–102.
64. Palmer, S.J., J.A. Dowdeswell, P. Christoffersen, D.A. Young, D.D. Blankenship, J.S. Greenbaum, T. Benham, J. Bamber and M.J. Siegert, 2013: Greenland subglacial lakes detected by radar, *Geophys. Res. Lett.*, 40:6154–6159, [https://doi:10.1002/2013GL058383](https://doi.org/10.1002/2013GL058383).
65. Pavelsky, T.M. and L.C. Smith, 2004: Spatial and Temporal Patterns in Arctic River Ice Breakup Observed with MODIS and AVHRR Time Series, *Rem. Sens. of Environment*, 93(3):328-338.
66. Radkevich, A., K. Khlopenkov, D. Rutan, S. Kato, 2013: A Supplementary Clear-Sky Snow and Ice Recognition Technique for CERES Level 2 Products, *J. Atmos. Oceanic Technol.*, 30:557–568, <https://doi.org/10.1175/JTECH-D-12-00100.1>.
67. Rasmussen, T.A.S., J.L. Hoyer, D. Ghent and five others, 2018: Impact of assimilation of sea-ice surface temperatures on a coupled ocean and sea-ice model, *JGR – Oceans*, 123, [https://doi:10.1002/2017JC013481](https://doi.org/10.1002/2017JC013481).
68. Rennermalm, A. K., Smith, L. C., Chu, V. W., Box, J. E., Forster, R. R., Van den Broeke, M. R., Van As, D., and Moustafa, S. E., 2013: Evidence of meltwater retention within the Greenland ice sheet, *The Cryosphere*, 7:1433-1445, [https://doi:10.5194/tc-7-1433-2013](https://doi.org/10.5194/tc-7-1433-2013).
69. Riggs, G.A., Hall, D.K. and Ackerman, S.A., 1999: Sea Ice Extent and Classification Mapping with the Moderate Resolution Imaging Spectroradiometer Airborne Simulator, *Remote Sensing of Environment*, 68:152-163.
70. Riggs, G.A., D.K. Hall, J.R. Key, 2001: Initial Evaluation of MODIS Sea Ice Observations, *Proc. Eastern Snow Conference*, 58:327-331.

71. Riggs, G.A., D. K. Hall and V. V. Salomonson, 2003: MODIS Sea Ice Products User Guide (with updates posted on website in 2006).
72. Riggs, G.A., D.K. Hall and V.V. Salomonson, 2006: MODIS Sea Ice Products User Guide to Collection 5, https://nsidc.org/data/docs/daac/modis_v5/dorothy_ice_doc.pdf.
73. Riggs, G.A. and D.K. Hall, 2010: MODIS Snow and Ice Products – Assessment and Applications, NASA's Earth Observing System and the Science of ASTER, B. Ramachandran (ed.), Springer-Verlag.
74. Saavedra, F.A., 2016: Spatial and temporal variability of snow cover in the Andes Mountains and its influence on streamflow in snow dominant rivers, Ph.D. Dissertation, Department of Geosciences, Colorado State University, Fort Collins, Colo., 119 p.
75. Saavedra, F.A., S.K. Kampf, S.R. Fassnacht and J.S. Sibold, 2016: A snow climatology of the Andes Mountains from MODIS snow cover data, *International Journal of Climatology* 37(3):1526-1539, <https://doi:10.1002/joc.4795>.
76. Saavedra, F.A., S.K. Kampf, S.R. Fassnacht and J.S. Sibold, 2018: Changes in Andes snow cover from MODIS data, 2000 – 2016, *The Cryosphere*, 12:1027-1046, <https://doi.org/10.5194/tc-12-1027-2018>.
77. Scambos, T.A., T.M. Haran and R. Massom, 2006: Validation of AVHRR and MODIS Ice Surface Temperature Products Using In Situ Radiometers, *Annals of Glaciology*, 44:345-351.
78. Scharfen, G.R., D.K. Hall, S.J.S. Khalsa, J.D. Wolfe, M.C. Marquis, G.A. Riggs and B. McLean, 2000: Accessing the MODIS Snow and Ice Products at the NSIDC DAAC, in: Stein, T.I. (ed.), *IGARSS 2000: IEEE 2000 International Geoscience and Remote Sensing Symposium*, Vol. I - Vi, *Proceedings*, 2059-2061.
79. Scott, K.A., M. Buehner and T. Carrieres, 2013: An assessment of sea ice thickness from AMSR-E and MODIS data for operational data assimilation, *IEEE Transactions on Geoscience and Remote Sensing*, 52(5):2726-2737.
80. Selmes, N., T. Murray, and T. D. James, 2011: Fast draining lakes on the Greenland Ice Sheet, *Geophys. Res. Lett.*, 38, L15501, <https://doi.10.1029/2011GL047872>.
81. Shi, W., Wang, M., 2012: Sea ice properties in the Bohai Sea measured by MODIS-Aqua: 2. Study of sea ice seasonal and interannual variability, *Journal of Marine Systems*, 95:41-49.
82. Simonsen, S.B., L. Stenseng, G. Adalgeirsdóttir, C.S. Hvidberg, P. Lucas-Picher, 2013: Assessing a multilayered dynamic firn-compaction model for Greenland with ASIRAS radar measurements, *Journal of Glaciology*, 59(215):545-558.
83. Son, Y-S, H-C Kim and S.J. Lee, 2018: ASTER-derived high-resolution ice surface temperature for the Arctic coast, *Remote Sensing*, 10(5):662, <https://doi:10.3390/rs10050662>.
84. Straneo, F. and P. Heimback, 2013: North Atlantic warming and the retreat of Greenland's outlet glaciers, *Nature*, 504:36–43.
85. Straneo, F., and Coauthors, 2013: Challenges to Understanding the Dynamic Response of Greenland's Marine Terminating Glaciers to Oceanic and Atmospheric Forcing. *Bull. Amer. Meteor. Soc.*, 94:1131–1144, <https://doi.org/10.1175/BAMS-D-12-00100.1>.
86. Stroeve, J.C., J.E. Box and T. Haran, 2006: Evaluation of the MODIS (MOD10A1) Daily Snow

- Albedo Product Over the Greenland Ice Sheet, *Remote Sensing of Environment*, 105(2):155-171.
87. Stroeve, J., Box, J.E., Wang, Z., Schaaf, C., Barrett, A., 2013: Re-evaluation of MODIS MCD43 Greenland albedo accuracy and trends, *Remote Sensing of Environment*, 138:199–214.
 88. Surer, S., and Z. Akyurek, 2012: Evaluating the utility of the EUMETSAT HSAF snow recognition product over mountainous areas of eastern Turkey, *Hydrological Sciences Journal*, 57(8):1684-1694.
 89. Tan, W., K. A. Scott and E. LeDrew, 2014: Enhanced Arctic ice concentration estimation merging MODIS ice surface temperature and SSM/I sea ice concentration, *Atmosphere-Ocean*, 52(2):115-124, <https://doi:10.1080/07055900.2014.883491>.
 90. Tao, Z., Z. Li, X. Yang and X. Zhou, 2010: Classification of sea ice based on fuzzy clustering with Spatial Information, *Multimedia Technology (ICMT)*, pp.1-4.
 91. Tedesco, M., Fettweis, X., Van Den Broeke, M.R., Serreze, M.C., Box, J.E., 2011: The role of albedo and accumulation in the 2010 melting record in Greenland, *ERL*, 6(1), <https://doi:10.1088/1748-9326/6/1/014005>.
 92. Temimi, M., P. Romanov, H. Ghedira, R. Khanbilvardi and K. Smith, 2011: Sea-ice monitoring over the Caspian Sea using geostationary satellite data, *International Journal of Remote Sensing*, 32(6):1575-1593, <https://doi.org/10.1080/01431160903578820>.
 93. Tetzlaff, A., L. Kaleschke, C. Lupkes, F. Ament and T. Vihma, 2013: The impact of heterogeneous surface temperatures on the 2-m air temperature over the Arctic Ocean in spring, *The Cryosphere*, 7:153-166, <https://doi:10.5194/tc-7-153>.
 94. Tian-Kunze, X., L. Kaleschke, N. Maaß, M. Mäkynen, N. Serra, M. Drusch, and T. Krumpfen, 2014: SMOS-derived thin sea ice thickness: algorithm baseline, product specifications and initial verification, *The Cryosphere*, 8:997–1018.
 95. Tooth, M. and M. Tschudi, 2018: Investigating Arctic sea ice survivability in the Beaufort Sea, *Remote Sensing*, 10(2):267, <https://doi:10.3390/rs10020267>.
 96. Trusel, L. D., K. E. Frey, and S. B. Das, 2012: Antarctic surface melting dynamics: Enhanced perspectives from radar scatterometer data, *J. Geophys. Res.*, 117, F02023, <https://doi:10.1029/2011JF002126>.
 97. Välisuo, I., T. Vihma, R. Pirazzini and M. Schäfer, 2018: Interannual Variability of Atmospheric Conditions and Surface Melt in Greenland in 2000-2014, *Journal of Geophysical Research: Atmospheres*, <https://doi:10.1029/2018JD028445>.
 98. Velicogna, I. and J. Wahr, 2013: Time-variable gravity observations of ice sheet mass balance: Precision and limitations of the GRACE satellite data, *Geophys. Res. Lett.*, 40:3055–3063 <https://doi:10.1002/grl.50527>.
 99. Wang, X., et al, 2008: Estimation of Sea and Lake Ice Characteristics with GOES-R ABI, <https://ams.confex.com/ams/pdfpapers/135792.pdf>.
 100. Wang, X., J. R. Key, and Y. Liu, 2010: A thermodynamic model for estimating sea and lake ice thickness with optical satellite data, *JGR*, 115, C12035, <https://doi:10.1029/2009JC005857>.
 101. Wang, Y., X. Huang, H. Liang, Y. Sun, Q. Feng and T. Liang, 2018: Tracking snow variations in the Northern Hemisphere using multi-source remote sensing data (2000-2015), *Remote Sensing*, 10(1):136, <https://doi:10.3390/rs10010136>.

102. Westermann, S., Langer, M., Boike, J., 2012: Systematic bias of average winter-time land surface temperatures inferred from MODIS at a site on Svalbard, Norway, *Remote Sensing of Environment*, 118:162-167.